



# Collection FY23

FIELD MARKET GUIDE

**cannondale**



## Table of Contents

03	Road
19	Mountain
33	Active
41	E-Bike
51	Kids





# Road

RACE

ENDURANCE

GRAVEL

cannondale



# Road

## Race

---



SuperSix EVO



SuperSix EVO CX



SuperSix EVO SE



CAAD13



CAAD Optimo

## Endurance

---



Synapse Carbon



Synapse

## Gravel

---




Topstone Carbon Lefty



Topstone Carbon



Topstone





# SuperSix EVO Force AXS

Colour - Black Magic



## Specifications

<b>Frame</b>	SuperSix Evo Carbon, integrated cable routing w/ Switchplate, 12x142 Speed Release thru-axle, SAVE, PF30a, flat mount disc, integrated seat binder	<b>Chain</b>	SRAM Force, 12-speed
<b>Fork</b>	SuperSix Evo Carbon, SAVE, integrated crown race, 12x100mm Speed Release thru-axle, flat mount disc, internal routing, 1-1/8" to 1-1/4" steerer and 55mm offset (44-54cm), 1-1/8" to 1-3/8" steerer and 45mm offset (56-62cm)	<b>Rear Cogs</b>	SRAM XG-1270, 10-33, 12-speed
<b>Rims</b>	HollowGram 35, Carbon, 24h front, 28h rear, 35mm deep, 19mm IW, tubeless ready	<b>Front Derailleur</b>	SRAM Force AXS, braze-on
<b>Hubs</b>	(F) HollowGram, sealed bearing 12x100mm centerlock / (R) HollowGram 3-pawl, sealed bearing, 12x142mm centerlock	<b>Rear Derailleur</b>	SRAM Force AXS
<b>Spokes</b>	HollowGram, 2.0/1.8/2.0, straight-pull	<b>Shifters</b>	SRAM Force AXS, 12-speed
<b>Tyres</b>	Vittoria Rubino Pro Bright Black, 700 x 25c, reflective strip	<b>Handlebar</b>	HollowGram SAVE SystemBar, Carbon, 8 deg. pitch adjust
<b>Pedals</b>	Not included	<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Crank</b>	SRAM Force, DUB, 48/35	<b>Stem</b>	HollowGram KNØT, Alloy w/ cable cover, -6°
<b>Bottom Bracket</b>	SRAM DUB PF30 ROAD73-A	<b>Headset</b>	Integrated, 1-1/8" - 1-1/4" (44-54cm), 1-1/8" - 1-3/8" (56-62cm)
		<b>Brakes</b>	SRAM Rival hydraulic disc, 160/160mm Paceline rotors
		<b>Brake Levers</b>	SRAM Force AXS
		<b>Saddle</b>	Fizik New Aliante R5, 150mm width, S-alloy rails
		<b>Seatpost</b>	HollowGram 27 SL KNØT, Carbon, 2 bolt clamp, 330mm, 0mm offset (44-48cm), 15mm offset (51-62cm)
		<b>Sizes</b>	48, 51, 54, 56, 58, 60
		<b>Colour</b>	Black Magic (BKM)

C11501U

# SuperSix EVO Rival

Colour - Mantis



## Specifications

<b>Frame</b>	SuperSix EVO Carbon, integrated cable routing w/ Switchplate, 12x142 Speed Release thru-axle, SAVE, PF30a, flat mount disc, integrated seat binder	<b>Rear Derailleur</b>	SRAM Rival
<b>Fork</b>	SuperSix EVO Carbon, SAVE, integrated crown race, 12x100mm Speed Release thru-axle, flat mount disc, internal routing, 1-1/8" to 1-1/4" steerer and 55mm offset (44-54cm), 1-1/8" to 1-3/8" steerer and 45mm offset (56-62cm)	<b>Shifters</b>	SRAM Rival
<b>Rims</b>	DT Swiss R470 db, 28h	<b>Handlebar</b>	HollowGram SAVE SystemBar, Carbon, 8 deg. pitch adjust
<b>Hubs</b>	(F) Formula CL-712, 12x100mm centerlock / (R) Formula RXC-400, 12x142mm centerlock	<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Spokes</b>	Stainless Steel, 14g	<b>Stem</b>	HollowGram KNØT, Alloy w/ cable cover, -6°
<b>Tyres</b>	Vittoria Rubino Pro Bright Black, 700 x 25c	<b>Headset</b>	Integrated, 1-1/8" - 1-1/4" (44-54cm), 1-1/8" - 1-3/8" (56-62cm)
<b>Pedals</b>	Not included	<b>Brakes</b>	SRAM Rival hydraulic disc, 160/160mm Paceline rotors
<b>Crank</b>	SRAM Rival	<b>Brake Levers</b>	SRAM Rival
<b>Bottom Bracket</b>	SRAM DUB PF30 ROAD73-A	<b>Saddle</b>	Fizik New Aliante R5, 150mm width, S-alloy rails
<b>Chain</b>	SRAM Rival	<b>Seatpost</b>	HollowGram 27 SL KNØT, Carbon, 2 bolt clamp, 330mm, 0mm offset (44-48cm), 15mm offset (51-62cm)
<b>Rear Cogs</b>	SRAM Rival	<b>Sizes</b>	48, 51, 54, 56, 58, 60
<b>Front Derailleur</b>	SRAM Rival	<b>Colour</b>	Mantis (MAT)
		<b>Extras</b>	Removable fender bridge

C11631U

# SuperSix EVO Hi-MOD Disc Frameset

Colour - Matte Black



## Specifications

C11181U

<b>Frame</b>	SuperSix EVO Hi-MOD Carbon, integrated cable routing w/ Switchplate, 12x142 Syntace thru-axle, BSA 68mm threaded BB, flat mount disc, integrated seat binder	<b>Pedals</b>	Not included
<b>Fork</b>	SuperSix EVO Hi-MOD Carbon, integrated crown race, 12x100mm Syntace thru-axle, flat mount disc, interNull routing, 1-1/8" to 1-1/4" Delta steerer, 55mm offset (44-54cm), 45mm offset (56-61cm)	<b>Headset</b>	Integrated, 1-1/8" - 1-1/4" (44-54cm), 1-1/8" - 1-3/8" (56-62cm)
<b>Bottom Bracket</b>	Cannondale Alloy PressFit30	<b>Seatpost</b>	HollowGram 27 SL KNØT, Carbon, 2 bolt clamp, 330mm, 0mm offset (44-48cm), 15mm offset (51-62cm)
		<b>Sizes</b>	51, 54, 56, 58, 60
		<b>Colour</b>	Matte Black (BBQ)



# SuperSix EVO CX

Colour - Gold Dust



## Specifications

C17201U

<b>Frame</b>	SuperSix EVO CX Carbon, internal cable routing w/ Switchplate, 12x142mm Speed Release thru-axle, SAVE, PF30-83 Ai, flat mount disc, integrated seatpost binder	<b>Rear Cogs</b>	SRAM PG-1170, 11-36, 11-speed
<b>Fork</b>	SuperSix EVO CX Carbon, SAVE, integrated crown race, 12x100mm Speed Release thru-axle, flat mount disc, internal routing, 1-1/8" to 1-1/2", 55mm offset	<b>Front Derailleur</b>	N/A (Braze-on compatible)
<b>Rims</b>	DT Swiss R470 db, 28h	<b>Rear Derailleur</b>	SRAM Force1, Long cage
<b>Hubs</b>	(F) Formula CL-712, 12x100mm centerlock / (R) Formula RXC-400, 12x142mm centerlock	<b>Shifters</b>	SRAM Force1, 11-speed
<b>Spokes</b>	Stainless Steel, 14g	<b>Handlebar</b>	Cannondale 2, 6061 Alloy, Compact
<b>Tyres</b>	Vittoria Terreno Dry TNT, 700 x 33c, tubeless ready	<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Pedals</b>	Not included	<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Crank</b>	Cannondale 1, BB86a, OPI SpideRing, 40T	<b>Headset</b>	Integrated, 1-1/8" - 1-1/2"
<b>Bottom Bracket</b>	Cannondale Alloy PressFit30	<b>Brakes</b>	SRAM Force1 Hydraulic Disc, 160/140mm Centerline rotors
<b>Chain</b>	SRAM CN-1130	<b>Brake Levers</b>	SRAM Force1
		<b>Saddle</b>	Fizik New Aliante R5, 150mm width, S-alloy rails
		<b>Seatpost</b>	HollowGram 27 SL KNØT, Carbon, 2 bolt clamp, 330mm, 0mm offset all sizes
		<b>Sizes</b>	46, 51, 54, 56, 58
		<b>Colour</b>	Gold Dust (GDT)

# SuperSix EVO SE

Colour - Meteor Grey



## Specifications

C17102U

<b>Frame</b>	SuperSix EVO CX Carbon, internal cable routing w/ Switchplate, 12x142mm Speed Release thru-axle, SAVE, PF30-83 Ai, flat mount disc, integrated seatpost binder	<b>Chain</b>	SRAM Rival 12-speed
<b>Fork</b>	SuperSix EVO CX Carbon, SAVE, integrated crown race, 12x100mm Speed Release thru-axle, flat mount disc, internal routing, 1-1/8" to 1-1/2", 55mm offset	<b>Rear Cogs</b>	SRAM Rival XG-1250, 12-speed 10-36
<b>Rims</b>	DT Swiss CR-1600 SPLINE, 25h, tubeless ready	<b>Front Derailleur</b>	SRAM Rival eTap AXS, braze-on
<b>Hubs</b>	(F) DT Swiss 350, straightpull, 12x100mm centerlock / (R) DT Swiss 350 with Ratchet System 18, straightpull, 12x142mm Ai centerlock	<b>Rear Derailleur</b>	SRAM Rival eTap AXS
<b>Spokes</b>	DT Swiss Aero Comp straight-pull (Ai Offset Dish - Rear)	<b>Shifters</b>	SRAM Rival eTap AXS HRD
<b>Tyres</b>	Vittoria Terreno Dry TNT, 700 x 40c, tubeless ready	<b>Handlebar</b>	Cannondale 2, 6061 Alloy, Compact
<b>Pedals</b>	Not included	<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Crank</b>	SRAM Rival DUB X-Range, 46/33	<b>Stem</b>	Cannondale 2, 6061 Alloy, 31.8, 7°
<b>Bottom Bracket</b>	SRAM DUB PF30A Road 83mm, Cannondale Ai	<b>Headset</b>	Integrated, 1-1/8" - 1-1/2"
		<b>Brakes</b>	SRAM Rival hydraulic disc, 160/160mm Paceline rotors
		<b>Brake Levers</b>	SRAM Rival eTap AXS HRD
		<b>Saddle</b>	Prologo Dimension AGX, Tirox
		<b>Seatpost</b>	HollowGram 27 SL KNØT, Carbon, 2 bolt clamp, 330mm, 0mm offset (46cm), 15mm offset (51-58cm)
		<b>Sizes</b>	46, 51, 54, 56, 58
		<b>Colour</b>	Meteor Grey (MTG)

# SuperSix EVO SE/CX Frameset

Colour 1 - Black Magic



## Specifications

C11381U

<b>Frame</b>	SuperSix EVO CX Carbon, internal cable routing w/ Switchplate, 12x142mm Speed Release thru-axle, SAVE, PF30-83 Ai, flat mount disc, integrated seatpost binder	<b>Bottom Bracket</b>	Cannondale Alloy PressFit30
<b>Fork</b>	SuperSix EVO CX Carbon, SAVE, integrated crown race, 12x100mm Speed Release thru-axle, flat mount disc, internal routing, 1-1/8" to 1-1/2", 55mm offset	<b>Headset</b>	Integrated, 1-1/8" - 1-1/2"
		<b>Seatpost</b>	HollowGram 27 SL KNØT, Carbon, 2 bolt clamp, 330mm, 0mm offset (46cm), 15mm offset (51-58cm)
		<b>Sizes</b>	46, 51, 54, 56, 58
		<b>Colour</b>	Black Magic (BKM)



# CAAD13 Disc Rival AXS

Colour - Chalk w/ Fluorange & Stealth Grey



Rendering intended to show colour and graphics only, and does not reflect the model's specifications.

## Specifications

C13201U

<b>Frame</b>	SmartForm C1 Premium Alloy, 12x142 Speed Release thru-axle, flat-mount disc, integrated cable routing w/ Switchplate, SAVE, BB30a, Di2 ready
<b>Fork</b>	CAAD13 Full Carbon, SAVE, 1-1/8" to 1-1/4" steerer, integrated crown race, 12x100mm Speed Release thru-axle, flat mount disc, internal routing, 55mm offset (47-54cm) 45mm offset (56-62cm)
<b>Rims</b>	DT Swiss R470 db, 28h
<b>Hubs</b>	(F) Formula CL-712, 12x100mm centerlock / (R) Formula RXC-400, 12x142mm centerlock
<b>Spokes</b>	Stainless Steel, 14g
<b>Tyres</b>	Vittoria Rubino Pro Bright Black, 700 x 25c
<b>Pedals</b>	Not included
<b>Crank</b>	SRAM Rival DUB X-Range, 48/35
<b>Bottom Bracket</b>	SRAM DUB BB30A Road 73mm
<b>Chain</b>	SRAM Rival 12-speed
<b>Rear Cogs</b>	SRAM Rival XG-1250, 10-36, 12-speed

<b>Front Derailleur</b>	SRAM Rival eTap AXS, braze-on
<b>Rear Derailleur</b>	SRAM Rival eTap AXS
<b>Shifters</b>	SRAM Rival eTap AXS HRD
<b>Handlebar</b>	Cannondale 3, 6061 Alloy, Compact
<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Headset</b>	CAAD13, integrated, 1-1/8" - 1-1/4
<b>Brakes</b>	SRAM Rival hydraulic disc, 160/160mm Paceline rotors
<b>Brake Levers</b>	SRAM Rival eTap AXS HRD
<b>Saddle</b>	Fizik Aliante Delta, S-alloy rails
<b>Seatpost</b>	HollowGram 27 SL KNØT, Carbon, 2 bolt clamp, 330mm, 0mm offset (44-48cm), 15mm offset (51-62cm)
<b>Sizes</b>	51, 54, 56, 58
<b>Colour</b>	Chalk w/ Fluorange & Stealth Grey (CHK)
<b>Extras</b>	Removable fender bridge

# CAAD13 Disc Ultegra

Colour - Matte Black w/ Gloss Jet Black



Rendering intended to show colour and graphics only, and does not reflect the model's specifications.

## Specifications

C13101M

<b>Frame</b>	SmartForm C1 Premium Alloy, 12x142 Speed Release thru-axle, flat-mount disc, integrated cable routing w/ Switchplate, SAVE, BB30a, Di2 ready
<b>Fork</b>	CAAD13 Full Carbon, SAVE, 1-1/8" to 1-1/4" steerer, integrated crown race, 12x100mm Speed Release thru-axle, flat mount disc, internal routing, 55mm offset (47-54cm) 45mm offset (56-62cm)
<b>Rims</b>	Fulcrum Racing 900 DB
<b>Hubs</b>	(F) Fulcrum Racing 900, 12x100mm centerlock / (R) Fulcrum Racing 900, 12x142mm centerlock
<b>Spokes</b>	Fulcrum, Stainless steel
<b>Tyres</b>	Vittoria Rubino Pro Bright Black, 700 x 25c, reflective strip
<b>Pedals</b>	Not included
<b>Crank</b>	Cannondale 1, BB30a, FSA rings, 52/36
<b>Bottom Bracket</b>	Cannondale BB30

<b>Chain</b>	Shimano HG601, 11-speed
<b>Rear Cogs</b>	Shimano 105, 11-30, 11-speed
<b>Front Derailleur</b>	Shimano Ultegra, braze-on
<b>Rear Derailleur</b>	Shimano Ultegra
<b>Shifters</b>	Shimano Ultegra hydraulic disc, 11-speed
<b>Handlebar</b>	Cannondale 2, 7050 alloy, Compact
<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Stem</b>	Cannondale 2, 6061 Alloy, 31.8, 7°
<b>Headset</b>	CAAD13, integrated, 1-1/8" - 1-1/4
<b>Brakes</b>	Shimano Ultegra hydraulic disc, 160/160mm RT70 rotors
<b>Brake Levers</b>	Shimano Ultegra hydraulic disc
<b>Saddle</b>	Fizik Aliante Delta, S-alloy rails
<b>Seatpost</b>	HollowGram 27 KNØT, Alloy, 2 bolt clamp, 330mm, 15mm offset
<b>Sizes</b>	48, 51, 54, 56, 58, 60
<b>Colour</b>	Matte Black w/ Gloss Jet Black (BBQ)
<b>Extras</b>	Removable fender bridge

# CAAD13 Ultegra

Colour - Matte Black w/ Gloss Black



## Specifications

C13201M

<b>Frame</b>	SmartForm C1 Premium Alloy, direct mount rim brake, integrated cable routing w/ Switchplate, SAVE, BB30a, 130x10 QR, Di2 ready	<b>Rear Cogs</b>	Shimano 105, 11-30, 11-speed
<b>Fork</b>	CAAD13 Full Carbon, direct mount rim brake, SAVE, 1-1/8" to 1-1/4" steerer, integrated crown race, 100x9mm QR, 55mm offset (47-54cm) 45mm offset (56-62cm)	<b>Front Derailleur</b>	Shimano Ultegra, braze-on
<b>Rims</b>	Fulcrum Racing 900 RB	<b>Rear Derailleur</b>	Shimano Ultegra
<b>Hubs</b>	(F) Fulcrum Racing 900, QR / (R) Fulcrum Racing 900, QR	<b>Shifters</b>	Shimano Ultegra, 11-speed
<b>Spokes</b>	Fulcrum, Stainless steel	<b>Handlebar</b>	Cannondale 3, 6061 Alloy, Compact
<b>Tyres</b>	Vittoria Zaffiro Pro Slick, 700 x 25c	<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Pedals</b>	Not included	<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Crank</b>	Cannondale 1, BB30a, FSA rings, 52/36	<b>Headset</b>	CAAD13, integrated, 1-1/8" - 1-1/4"
<b>Bottom Bracket</b>	Cannondale BB30	<b>Brakes</b>	Shimano Ultegra direct mount
<b>Chain</b>	Shimano HG601, 11-speed	<b>Brake Levers</b>	Shimano Ultegra
		<b>Saddle</b>	Fizik Aliante Delta, S-alloy rails
		<b>Seatpost</b>	HollowGram 27 KNØT, Alloy, 2 bolt clamp, 330mm, 15mm offset
		<b>Sizes</b>	51, 54, 56
		<b>Colour</b>	Matte Black w/ Gloss Black (BBQ)

# CAAD13 Disc Tiagra

Colour 1 - Charcoal Grey w/ Jet Black & Rally Red

Colour 2 - Purple Haze w/ Charcoal Grey & Chlorine Blue



## Specifications

C13421U

<b>Frame</b>	SmartForm C1 Premium Alloy, 12x142 Speed Release thru-axle, flat-mount disc, integrated cable routing w/ Switchplate, SAVE, BB30a, Di2 ready	<b>Front Derailleur</b>	Shimano Tiagra, braze-on
<b>Fork</b>	CAAD13 Full Carbon, SAVE, 1-1/8" to 1-1/4" steerer, integrated crown race, 12x100mm Speed Release thru-axle, flat mount disc, internal routing, 55mm offset (47-54cm) 45mm offset (56-62cm)	<b>Rear Derailleur</b>	Shimano Tiagra GS
<b>Rims</b>	RD 2.0, 28h	<b>Shifters</b>	Shimano Tiagra hydraulic disc, 10-speed
<b>Hubs</b>	(F) Formula CL-712, 12x100mm centerlock / (R) Formula RXC-400, 12x142mm centerlock	<b>Handlebar</b>	Cannondale 4, 6061 Alloy, Compact
<b>Spokes</b>	Stainless Steel, 14g	<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Tyres</b>	Vittoria Zaffiro Pro Slick, 700 x 25c	<b>Stem</b>	Cannondale 4, 6061 Alloy, 31.8, 7°
<b>Pedals</b>	Not included	<b>Headset</b>	CAAD13, integrated, 1-1/8" - 1-1/4"
<b>Crank</b>	Shimano Tiagra, 52/36	<b>Brakes</b>	Shimano Tiagra hydraulic disc, 160/160mm RT54 rotors
<b>Bottom Bracket</b>	Cannondale BB30 w/ 24mm adapter	<b>Brake Levers</b>	Shimano Tiagra hydraulic disc
<b>Chain</b>	KMC X10, 10-speed	<b>Saddle</b>	Prologo Nago RS STN
<b>Rear Cogs</b>	Shimano Tiagra, 11-34, 10-speed	<b>Seatpost</b>	HollowGram 27 KNØT, Alloy, 2 bolt clamp, 330mm
		<b>Sizes</b>	51, 54, 56, 58, 60
		<b>Colour 1</b>	Charcoal Grey w/ Jet Black & Rally Red (GRY)
		<b>Colour 2</b>	Purple Haze w/ Charcoal Grey & Chlorine Blue (PRH)
		<b>Extras</b>	Removable fender bridge



# CAAD Optimo 3

Colour - Jet Black w/ Lavender



## Specifications

C14301M

<b>Frame</b>	SmartForm C2 Alloy, SAVE, tapered headtube, fender mounts, 130×10mm QR	<b>Rear Derailleur</b>	Shimano Sora GS
<b>Fork</b>	CAAD Optimo Full Carbon, 1-1/8" to 1-1/4" steerer, fender mounts, 100×9mm QR	<b>Shifters</b>	Shimano Sora, 9-speed
<b>Rims</b>	RS 3.0, 24h front, 28h rear	<b>Handlebar</b>	6061 Alloy, Compact
<b>Hubs</b>	(F) Formula RB-31 / (R) Formula RB-32	<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Spokes</b>	Stainless Steel, 14g	<b>Stem</b>	6061 Alloy, 31.8, 7°
<b>Tyres</b>	Vittoria Zaffiro, 700 × 25c	<b>Headset</b>	CAAD Optimo, 1-1/8" to 1-1/4", 25mm top cap
<b>Pedals</b>	Wellgo w/ Clip and Strap	<b>Brakes</b>	Promax RC-452, dual pivot calipers
<b>Crank</b>	FSA Vero Alloy, 50/34	<b>Brake Levers</b>	Shimano Sora
<b>Bottom Bracket</b>	Cartridge, square taper	<b>Saddle</b>	Cannondale Stage CX
<b>Chain</b>	KMC X9, 9-speed	<b>Seatpost</b>	Cannondale 4, 6061 Alloy, 27.2 × 350mm
<b>Rear Cogs</b>	Shimano HG50, 11-30, 9-speed	<b>Sizes</b>	48, 51, 54, 56, 58
<b>Front Derailleur</b>	Shimano Sora, 31.8 clamp	<b>Colour</b>	Jet Black w/ Lavender (BLK)

# Synapse Carbon 2 RLE

Colour 1 - Charcoal Grey w/ Black Pearl & Cashmere  
 Colour 2 - Quicksand w/ Jet Black



## Specifications

C12202U

<b>Frame</b>	Synapse Carbon, SmartSense enabled, Proportional Response size-specific design, BSA threaded BB, flat mount brake, 12x142mm Speed Release thru axle, thru-tube internal cable routing with Switch Plate, removable fender bridge, hidden rack/fender mounts	<b>Rear Cogs</b>	Shimano Ultegra R8100, 11-34, 12-speed
<b>Fork</b>	Synapse Carbon, integrated crown race, Proportional Response size-specific design, 12x100mm Speed Release thru-axle, thru-tube internal routing, hidden fender mounts	<b>Front Derailleur</b>	Shimano Ultegra Di2 R8150, braze-on
<b>Rims</b>	Fulcrum Rapid Red 500	<b>Rear Derailleur</b>	Shimano Ultegra Di2 R8150
<b>Hubs</b>	(F) Fulcrum Rapid Red 500, 12x100mm centerlock / (R) Fulcrum Rapid Red 500, 12x142mm centerlock	<b>Shifters</b>	Shimano Ultegra Di2 R8170, wireless, 2x12
<b>Spokes</b>	Fulcrum, Stainless steel	<b>Handlebar</b>	FSA Gossamer Compact
<b>Tyres</b>	Vittoria Rubino Pro Bright Black, 700 x 30c, reflective	<b>Grips</b>	Fabric Knurl Bar Tape
<b>Pedals</b>	Not included	<b>Stem</b>	Cannondale 2, 6061 Alloy, 31.8, 7°
<b>Crank</b>	Shimano Ultegra R8100, BSA, 50/34	<b>Headset</b>	Synapse Sealed Bearing, integrated, 1-1/4"-1-1/8"
<b>Bottom Bracket</b>	Shimano R60 BSA	<b>Brakes</b>	Shimano Ultegra Di2 R8170 hydraulic disc, 160/160mm RT800 rotors
<b>Chain</b>	Shimano Ultegra 8100	<b>Brake Levers</b>	Shimano Ultegra Di2 R8170 Hydraulic Disc
		<b>Saddle</b>	Fizik Tempo Argo R5, 150mm width, S-alloy rails
		<b>Seatpost</b>	Cannondale 2 SmartSense, UD Carbon, 27.2 x 350mm (48-56), 400mm (58-61)
		<b>Sizes</b>	48, 51, 54, 56, 58, 61
		<b>Colour 1</b>	Charcoal Grey w/ Black Pearl & Cashmere (GRY)
		<b>Colour 2</b>	Quicksand w/ Jet Black (QSD)
		<b>Extras</b>	SmartSense with Lights & Radar, Trainer-compatible thru-axle

# Synapse Carbon 2 RL

Colour 1 - Beetle Green w/ Reflective Black



## Specifications

C12251U

<b>Frame</b>	Synapse Carbon, SmartSense enabled, Proportional Response size-specific design, BSA threaded BB, flat mount brake, 12x142mm Speed Release thru axle, thru-tube internal cable routing with Switch Plate, removable fender bridge, hidden rack/fender mounts	<b>Chain</b>	Shimano HG701, 11-speed
<b>Fork</b>	Synapse Carbon, integrated crown race, Proportional Response size-specific design, 12x100mm Speed Release thru-axle, thru-tube internal routing, hidden fender mounts	<b>Rear Cogs</b>	Shimano Ultegra HG800, 11-34, 11-speed
<b>Rims</b>	Fulcrum Rapid Red 900	<b>Front Derailleur</b>	Shimano Ultegra, braze-on
<b>Hubs</b>	(F) Fulcrum Rapid Red 900, 12x100mm centerlock / (R) Fulcrum Rapid Red 900, 12x142mm centerlock	<b>Rear Derailleur</b>	Shimano Ultegra GS
<b>Spokes</b>	Fulcrum, Stainless steel	<b>Shifters</b>	Shimano Ultegra hydraulic disc, 11-speed
<b>Tyres</b>	Vittoria Rubino Pro Bright Black, 700 x 30c, reflective	<b>Handlebar</b>	Cannondale 2, 7050 alloy, Compact
<b>Pedals</b>	Not included	<b>Grips</b>	Fabric Knurl Bar Tape
<b>Crank</b>	Shimano Ultegra, BSA, 50/34	<b>Stem</b>	Cannondale 2, 6061 Alloy, 31.8, 7°
<b>Bottom Bracket</b>	Shimano R60 BSA	<b>Headset</b>	Synapse Sealed Bearing, integrated, 1-1/4"-1-1/8"
		<b>Brakes</b>	Shimano Ultegra hydraulic disc, 160/160mm RT800 rotors
		<b>Brake Levers</b>	Shimano Ultegra hydraulic
		<b>Saddle</b>	Fizik Aliante Delta, S-alloy rails
		<b>Seatpost</b>	Cannondale 3 SmartSense, 6061 Alloy, 27.2 x 350mm (48-56), 400mm (58-61)
		<b>Sizes</b>	48, 51, 54, 56, 58, 61
		<b>Colour</b>	Beetle Green w/ Reflective Black (BGN)
		<b>Extras</b>	SmartSense with Lights & Radar, Trainer-compatible thru-axle

# Synapse Carbon 3 L

Colour - Black Cherry



## Specifications

C12302U

<b>Frame</b>	Synapse Carbon, SmartSense equipped, Proportional Response size-specific design, BSA threaded BB, flat mount brake, 12x142mm thru axle, thru-tube internal cable routing with Switch Plate, removable fender bridge, hidden rack/fender mounts	<b>Rear Cogs</b>	Shimano 105, 11-34, 11-speed
<b>Fork</b>	Synapse Carbon, integrated crown race, Proportional Response size-specific design, 12x100mm thru-axle, thru-tube internal routing, hidden fender mounts	<b>Front Derailleur</b>	Shimano 105, braze-on
<b>Rims</b>	RD 2.1, 28h	<b>Rear Derailleur</b>	Shimano 105 GS
<b>Hubs</b>	(F) Formula CL-712, 12x100mm centerlock / (R) Formula RXC-400, 12x142mm centerlock	<b>Shifters</b>	Shimano 105 hydraulic disc, 11-speed
<b>Spokes</b>	Stainless Steel, 14g	<b>Handlebar</b>	Cannondale 3, 6061 Alloy, Compact
<b>Tyres</b>	Vittoria Zaffiro Pro Reflective, 700 x 30c	<b>Grips</b>	Fabric Knurl Bar Tape
<b>Pedals</b>	Not included	<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Crank</b>	Shimano RS510, BSA, 50/34	<b>Headset</b>	Synapse Sealed Bearing, integrated, 1-1/4"-1-1/8"
<b>Bottom Bracket</b>	Shimano BSA	<b>Brakes</b>	Shimano 105 hydraulic disc, 160/160mm RT70 rotors
<b>Chain</b>	Shimano HG701, 11-speed	<b>Brake Levers</b>	Shimano 105 hydraulic
		<b>Saddle</b>	Fizik New Aliante R5, 150mm width, S-alloy rails
		<b>Seatpost</b>	Cannondale 3 SmartSense, 6061 Alloy, 27.2 x 350mm (48-56), 400mm (58-61)
		<b>Sizes</b>	48, 51, 54, 56, 58, 61
		<b>Colour</b>	Black Cherry (BCH)
		<b>Extras</b>	SmartSense with Lights, Trainer-compatible thru-axle

# Synapse Carbon 4

Colour 1 - Jet Black w/ Reflective Black & Cashmere

Colour 2 - Rose Gold w/ Reflective Black



## Specifications

C12402U

<b>Frame</b>	Synapse Carbon, SmartSense enabled, Proportional Response size-specific design, BSA threaded BB, flat mount brake, 12x142mm thru axle, thru-tube internal cable routing with Switch Plate, removable fender bridge, hidden rack/fender mounts	<b>Rear Cogs</b>	Shimano Tiagra, 11-34, 10-speed
<b>Fork</b>	Synapse Carbon, integrated crown race, Proportional Response size-specific design, 12x100mm thru-axle, thru-tube internal routing, hidden fender mounts	<b>Front Derailleur</b>	Shimano Tiagra, braze-on
<b>Rims</b>	RD 3.1, 28h, 21mm IW	<b>Rear Derailleur</b>	Shimano Tiagra GS
<b>Hubs</b>	(F) Formula CL-712, 12x100mm centerlock / (R) Formula RXC-400, 12x142mm centerlock	<b>Shifters</b>	Shimano Tiagra hydraulic disc, 10-speed
<b>Spokes</b>	Stainless Steel, 14g	<b>Handlebar</b>	Cannondale 3, 6061 Alloy, Compact
<b>Tyres</b>	Vittoria Zaffiro Pro Reflective, 700 x 30c	<b>Grips</b>	Fabric Knurl Bar Tape
<b>Pedals</b>	Not included	<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Crank</b>	Shimano Tiagra, BSA, 50/34	<b>Headset</b>	Synapse Sealed Bearing, integrated, 1-1/4"-1-1/8"
<b>Bottom Bracket</b>	Shimano BSA	<b>Brakes</b>	Shimano Tiagra hydraulic disc, 160/160mm RT64 rotors
<b>Chain</b>	Shimano HG54, 10-speed	<b>Brake Levers</b>	Shimano Tiagra hydraulic
		<b>Saddle</b>	Fizik Aliante Delta, S-alloy rails
		<b>Seatpost</b>	Cannondale 3, 6061 Alloy, 27.2 x 350mm (48-56), 400mm (58-61)
		<b>Sizes</b>	48, 51, 54, 56, 58, 61
		<b>Colour 1</b>	Jet Black w/ Reflective Black & Cashmere (CAS)
		<b>Colour 2</b>	Rose Gold w/ Reflective Black (RGD)
		<b>Extras</b>	Trainer-compatible Thru-Axle



# Synapse 2

Colour 1 - Chalk w/ Reflective Black

Colour 2 - Lavender w/ Jet Black



## Specifications

C12602U

<b>Frame</b>	Lightweight SmartForm C2 Alloy, SmartSense compatible, BSA threaded BB, internal cable routing, flat mount, 142x12 thru-axle, removable fender bridge, hidden rack/fender mounts	<b>Front Derailleur</b>	Shimano Tiagra
<b>Fork</b>	Synapse Carbon, integrated crown race, 12x100mm thru-axle, internal routing, flat mount brake, fender mounts	<b>Rear Derailleur</b>	Shimano Tiagra GS
<b>Rims</b>	DT Swiss R470 DB, 28h, tubeless ready	<b>Shifters</b>	Shimano Tiagra, 10-speed
<b>Hubs</b>	(F) Formula CL-712, 12x100mm centerlock / (R) Formula RXC-400, 12x142mm centerlock	<b>Handlebar</b>	Cannondale 3, 6061 Alloy, Compact
<b>Spokes</b>	Stainless Steel, 14g	<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Tyres</b>	Vittoria Zaffiro Pro Bright Black, 700 x 30c, reflective	<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Pedals</b>	Wellgo w/ Clip and Strap	<b>Headset</b>	Integrated, 1-1/8" - 1-1/4"
<b>Crank</b>	Shimano Tiagra, 50/34	<b>Brakes</b>	Shimano Tiagra hydraulic disc, 160/160mm RT54 rotors
<b>Bottom Bracket</b>	Shimano RS500	<b>Brake Levers</b>	Shimano Tiagra
<b>Chain</b>	Shimano HG54, 10-speed	<b>Saddle</b>	Fizik Aliante Delta, S-alloy rails
<b>Rear Cogs</b>	Shimano HG500, 11-34, 11-speed	<b>Seatpost</b>	Cannondale 3, 6061 Alloy, 27.2 x 350mm
		<b>Sizes</b>	44, 48, 51, 54, 56, 58, 61
		<b>Colour 1</b>	Chalk w/ Reflective Black (CHK)
		<b>Colour 2</b>	Lavender w/ Jet Black (LAV)
		<b>Extras</b>	Toptube Bag, Trainer Axle

# Synapse 3

Colour - Smoke Black w/ Reflective Black



## Specifications

C12702U

<b>Frame</b>	Lightweight SmartForm C2 Alloy, SmartSense compatible, BSA threaded BB, internal cable routing, flat mount, 142x12 thru-axle, removable fender bridge, hidden rack/fender mounts	<b>Front Derailleur</b>	Shimano Sora
<b>Fork</b>	Synapse Carbon, integrated crown race, 12x100mm thru-axle, internal routing, flat mount brake, fender mounts	<b>Rear Derailleur</b>	Shimano Sora GS
<b>Rims</b>	RD 3.1, 28h	<b>Shifters</b>	Shimano Sora, 9-speed
<b>Hubs</b>	(F) Formula RX-512, 12x100mm centerlock / (R) Formula RX-142, 12x142mm centerlock	<b>Handlebar</b>	Cannondale 4, 6061 Alloy, Compact
<b>Spokes</b>	Stainless Steel, 14g	<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Tyres</b>	Vittoria Zaffiro, 700 x 30c	<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Pedals</b>	Wellgo w/ Clip and Strap	<b>Headset</b>	Integrated, 1-1/8" - 1-1/4"
<b>Crank</b>	FSA Vero Compact, 50/34	<b>Brakes</b>	Promax Decoder R mechanical disc, 160/160mm rotors
<b>Bottom Bracket</b>	FSA Cartridge	<b>Brake Levers</b>	Shimano Sora
<b>Chain</b>	KMC Z9, 9-speed	<b>Saddle</b>	Cannondale Stage CX
<b>Rear Cogs</b>	Shimano Sora, 11-34, 9-speed	<b>Seatpost</b>	Cannondale 4, 6061 Alloy, 27.2 x 350mm
		<b>Sizes</b>	44, 48, 51, 54, 56, 58, 61
		<b>Colour</b>	Smoke Black w/ Reflective Black (SBK)
		<b>Extras</b>	Trainer Axle

# Topstone Carbon 2 Lefty

Colour - Gold Dust



## Specifications

C15202U

<b>Frame</b>	Topstone Carbon, Kingpin suspension system, SmartSense compatible, 12x142mm thru-axle, dropper post ready, BSA 68mm threaded BB, DirectLine internal cable routing, removable fender bridge, multiple gear/bottle mounts	<b>Rear Cogs</b>	Shimano SLX, 11-42, 11-speed
<b>Fork</b>	Lefty Oliver Carbon, 30mm travel, lockout, Chamber Damper w/ All-Over tune, ISO High-Ride air spring, tapered steerer, 700c, 55mm offset	<b>Rear Derailleur</b>	Shimano GRX 810, Shadow RD+
<b>Rims</b>	WTB KOM Light i23 TCS, 28h, tubeless ready	<b>Shifters</b>	Shimano GRX 800, 11-speed
<b>Hubs</b>	(F) Lefty SL, 6-Bolt / (R) Formula cartridge bearing, 6-Bolt, 12x142mm	<b>Handlebar</b>	Cannondale 2 ShortDrop, 7050 alloy, 12 deg flare drop
<b>Spokes</b>	Stainless Steel, 14g	<b>Grips</b>	Fizik Solocush Soft, 3mm
<b>Tyres</b>	WTB Raddler TCS Light, 700 x 44c, Tubeless-Ready	<b>Stem</b>	Cannondale 2, 6061 Alloy, 31.8, 7°
<b>Pedals</b>	Not included	<b>Headset</b>	Integrated, Carbon, 1-1/8" - 1-1/2"
<b>Crank</b>	Shimano GRX 600, 40T	<b>Brakes</b>	Shimano GRX 800 hydraulic disc, 160/160mm RT76 rotors
<b>Bottom Bracket</b>	Shimano BSA 68	<b>Brake Levers</b>	Shimano GRX 800 hydraulic disc
<b>Chain</b>	Shimano HG701, 11-speed	<b>Saddle</b>	Fizik Terra Argo X5, S-alloy rails
		<b>Seatpost</b>	Cannondale DownLow Dropper Post, 27.2, 60/80/100mm travel, shifter-integrated lever
		<b>Sizes</b>	XS, S, M, L, XL
		<b>Colour</b>	Gold Dust (GDT)
		<b>Extras</b>	StrapRack toolholder

# Topstone Carbon 3 L

Colour - Exposed Carbon w/ White



## Specifications

C15302U

<b>Frame</b>	Topstone Carbon, Kingpin suspension system, SmartSense equipped, 12x142mm thru-axle, 27.2 dropper post ready, BSA 68mm threaded BB, DirectLine internal cable routing, removable fender bridge, multiple gear/bottle mounts
<b>Fork</b>	Topstone Carbon, 1-1/8" to 1.5" steerer, 55mm OutFront offset, flat mount disc, internal routing, 12x100 thru-axle, triple bottle/gear mounts, fender mounts
<b>Rims</b>	WTB ST i23 TCS, 700c, 28h, tubeless ready
<b>Hubs</b>	(F) Formula cartridge bearing, 12x100mm, centerlock / (R) Formula cartridge bearing, 12x142mm, centerlock
<b>Spokes</b>	Stainless Steel, 14g
<b>Tyres</b>	WTB Riddler TCS Light, 700 x 45c, tubeless ready
<b>Pedals</b>	Not included
<b>Crank</b>	Shimano GRX 600, 46/30
<b>Bottom Bracket</b>	Shimano BSA 68
<b>Chain</b>	Shimano HG601, 11-speed

<b>Rear Cogs</b>	Shimano HG700, 11-34, 11-speed
<b>Front Derailleur</b>	Shimano GRX 810, braze-on
<b>Rear Derailleur</b>	Shimano GRX 810, Shadow RD+
<b>Shifters</b>	Shimano GRX 600, 11-speed
<b>Handlebar</b>	Cannondale 3, butted 6061 Alloy, 16 deg flare drop
<b>Grips</b>	Fizik Solocush Soft, 3mm
<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Headset</b>	Integrated, 1-1/8" - 1-1/2"
<b>Brakes</b>	Shimano GRX 600 hydraulic disc, 160/160mm RT64 rotors
<b>Brake Levers</b>	Shimano GRX 600 hydraulic disc
<b>Saddle</b>	Fizik Aliante Delta, S-alloy rails
<b>Seatpost</b>	Cannondale 3 SmartSense, 6061 Alloy, 27.2 x 350mm
<b>Sizes</b>	XS, S, M, L, XL
<b>Colour</b>	Carbon w/ Graphite (CRB)
<b>Extras</b>	SmartSense with Lights

# Topstone Carbon 4

Colour 1 - Smoke Black w/ Jet Black & Stealth Grey

Colour 2 - Olive Green w/ Jet Black



## Specifications

C15402U

<b>Frame</b>	Topstone Carbon, Kingpin suspension system, SmartSense compatible, 12x142mm thru-axle, 27.2 dropper post ready, BSA 68mm threaded BB, DirectLine internal cable routing, removable fender bridge, multiple gear/bottle mounts
<b>Fork</b>	Topstone Carbon, 1-1/8" to 1.5" steerer, 55mm OutFront offset, flat mount disc, internal routing, 12x100 thru-axle, triple bottle/gear mounts, fender mounts
<b>Rims</b>	WTB ST i23 TCS, 700c, 28h, tubeless ready
<b>Hubs</b>	(F) Formula cartridge bearing, 12x100mm, centerlock / (R) Formula cartridge bearing, 12x142mm, centerlock
<b>Spokes</b>	Stainless Steel, 14g
<b>Tyres</b>	WTB Riddler Comp, 700 x 45c
<b>Pedals</b>	Not included
<b>Crank</b>	Shimano GRX 600, 46/30
<b>Bottom Bracket</b>	Shimano BSA 68
<b>Chain</b>	KMC X10, 10-speed

<b>Rear Cogs</b>	Shimano HG500, 11-34, 10-speed
<b>Front Derailleur</b>	Shimano GRX 400, braze-on
<b>Rear Derailleur</b>	Shimano GRX 400, Shadow RD+
<b>Shifters</b>	Shimano GRX 400, 10-speed
<b>Handlebar</b>	Cannondale 3, butted 6061 Alloy, 16 deg flare drop
<b>Grips</b>	Fizik Solocush Soft, 3mm
<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Headset</b>	Integrated, 1-1/8" - 1-1/2"
<b>Brakes</b>	Shimano GRX 400 hydraulic disc, 160/160mm RT54 rotors
<b>Brake Levers</b>	Shimano GRX 400 hydraulic disc
<b>Saddle</b>	Fizik Aliante Delta, S-alloy rails
<b>Seatpost</b>	Cannondale 3, 6061 Alloy, 27.2 x 350mm
<b>Sizes</b>	XS, S, M, L, XL
<b>Colour 1</b>	Smoke Black w/ Jet Black & Stealth Grey (SBK)
<b>Colour 2</b>	Olive Green w/ Jet Black (OGN)
<b>Extras</b>	StrapRack toolholder



# Topstone 1

Colour - Mercury w/ Jet Black



## Specifications

<b>Frame</b>	Lightweight SmartForm C2 Alloy, 12x142 thru-axle, tapered headtube, BSA threaded BBm flat mount disc, StraightShot internal cable routing, multiple gear/bottle mounts	<b>Rear Cogs</b>	Shimano 105, 11-34, 11-speed
<b>Fork</b>	Topstone Carbon, 1-1/8" to 1.5" steerer, 55mm OutFront offset, flat mount disc, internal routing, 12x100 thru-axle, fender/gear mounts	<b>Front Derailleur</b>	Shimano GRX 800, braze-on
<b>Rims</b>	WTB ST i23 TCS, 28h, tubeless ready	<b>Rear Derailleur</b>	Shimano GRX 810, Shadow RD+
<b>Hubs</b>	(F) Formula cartridge bearing, 12x100mm centerlock / (R) Formula cartridge bearing, 12x142mm centerlock	<b>Shifters</b>	Shimano GRX 600, 11-speed
<b>Spokes</b>	Stainless Steel, 14g	<b>Handlebar</b>	Cannondale 3, butted 6061 Alloy, 16 deg flare drop
<b>Tyres</b>	WTB Riddler TCS Light, 700 x 37c, tubeless ready	<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Pedals</b>	Not included	<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Crank</b>	Shimano GRX 600, 46/30	<b>Headset</b>	Integrated, 1-1/8" - 1-1/2"
<b>Bottom Bracket</b>	Shimano BBRS500	<b>Brakes</b>	Shimano GRX 400 hydraulic disc, 160/160mm RT54 rotors
<b>Chain</b>	KMC X11, 11-speed	<b>Brake Levers</b>	Shimano GRX 600 hydraulic disc
		<b>Saddle</b>	Fizik Aliante Delta, S-alloy rails
		<b>Seatpost</b>	Cannondale 3, 6061 Alloy, 27.2 x 350mm
		<b>Sizes</b>	XS, S, M, L, XL
		<b>Colour</b>	Mercury w/ Jet Black (MRC)

C15602U

# Topstone 2

Colour - Midnight w/ Fine Silver



## Specifications

<b>Frame</b>	Lightweight SmartForm C2 Alloy, 12x142 thru-axle, tapered headtube, BSA threaded BBm flat mount disc, StraightShot internal cable routing, multiple gear/bottle mounts	<b>Rear Cogs</b>	Shimano HG500, 11-34, 10-speed
<b>Fork</b>	Topstone Carbon, 1-1/8" to 1.5" steerer, 55mm OutFront offset, flat mount disc, internal routing, 12x100 thru-axle, fender/gear mounts	<b>Front Derailleur</b>	Shimano GRX 400, braze-on
<b>Rims</b>	WTB ST i23 TCS, 28h, tubeless ready	<b>Rear Derailleur</b>	Shimano GRX 400, Shadow RD+
<b>Hubs</b>	(F) Formula cartridge bearing, 12x100mm centerlock / (R) Formula cartridge bearing, 12x142mm centerlock	<b>Shifters</b>	Shimano GRX 400, 10-speed
<b>Spokes</b>	Stainless Steel, 14g	<b>Handlebar</b>	Cannondale 3, butted 6061 Alloy, 16 deg flare drop
<b>Tyres</b>	WTB Riddler TCS Light, 700 x 37c, tubeless ready	<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Pedals</b>	Not included	<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Crank</b>	FSA Omega AGX+ Alloy, 46/30	<b>Headset</b>	Integrated, 1-1/8" - 1-1/2"
<b>Bottom Bracket</b>	FSA Cartridge	<b>Brakes</b>	Shimano GRX 400 hydraulic disc, 160/160mm RT54 rotors
<b>Chain</b>	KMC X10, 10-speed	<b>Brake Levers</b>	Shimano GRX 400 hydraulic disc
		<b>Saddle</b>	Fizik Aliante Delta, S-alloy rails
		<b>Seatpost</b>	Cannondale 3, 6061 Alloy, 27.2 x 350mm
		<b>Sizes</b>	XS, S, M, L, XL
		<b>Colour</b>	Midnight w/ Fine Silver (MDN)

C15702U

# Topstone 3

Colour 1 - Charcoal Grey w/ Jet Black

Colour 2 - Turquoise w/ Jet Black



C15802U

## Specifications

<b>Frame</b>	Lightweight SmartForm C2 Alloy, 12x142 thru-axle, tapered headtube, BSA threaded BBm flat mount disc, StraightShot internal cable routing, multiple gear/bottle mounts
<b>Fork</b>	Topstone Carbon, 1-1/8" to 1.5" steerer, 55mm OutFront offset, flat mount disc, internal routing, 12x100 thru-axle, fender/gear mounts
<b>Rims</b>	GXD 1.0, 28h
<b>Hubs</b>	(F) Formula alloy, 12x100mm / (R) Formula alloy, 12x142mm
<b>Spokes</b>	Stainless Steel, 14g
<b>Tyres</b>	WTB Riddler Comp, 700 x 37c
<b>Pedals</b>	Not included
<b>Crank</b>	FSA Tempo Adventure, 46/30
<b>Bottom Bracket</b>	Cartridge, square taper
<b>Chain</b>	KMC Z9, 9-speed
<b>Rear Cogs</b>	Sunrace, 11-34, 9-speed

<b>Front Derailleur</b>	Shimano Sora GS
<b>Rear Derailleur</b>	Shimano Sora GS
<b>Shifters</b>	Shimano Sora, 9-speed
<b>Handlebar</b>	Cannondale 3, butted 6061 Alloy, 16 deg flare drop
<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Headset</b>	Integrated, 1-1/8" - 1-1/2"
<b>Brakes</b>	Promax Decoder R mechanical disc, 160/160mm rotors
<b>Brake Levers</b>	Shimano Sora
<b>Saddle</b>	Fizik Aliante Delta, S-alloy rails
<b>Seatpost</b>	Cannondale 4, 6061 Alloy, 27.2 x 350mm
<b>Sizes</b>	XS, S, M, L, XL
<b>Colour 1</b>	Charcoal Grey w/ Jet Black (GRY)
<b>Colour 2</b>	Turquoise w/ Jet Black (TRQ)

# Topstone 4

Colour 1 - Mango w/ Jet Black

Colour 2 - Matte Black w/ White



C15902U

## Specifications

<b>Frame</b>	Lightweight SmartForm C2 Alloy, 12x142 thru-axle, tapered headtube, BSA threaded BBm flat mount disc, StraightShot internal cable routing, multiple gear/bottle mounts
<b>Fork</b>	Topstone Carbon, 1-1/8" to 1.5" steerer, 55mm OutFront offset, flat mount disc, internal routing, 12x100 thru-axle, fender/gear mounts
<b>Rims</b>	GXD 1.0, 28h
<b>Hubs</b>	(F) Formula alloy, 12x100mm / (R) Formula alloy, 12x142mm
<b>Spokes</b>	Stainless Steel, 14g
<b>Tyres</b>	WTB Riddler Comp, 700 x 37c
<b>Pedals</b>	Not included
<b>Crank</b>	Prowheel, Charm 40T
<b>Bottom Bracket</b>	Cartridge, square taper
<b>Chain</b>	KMC X10, 10-speed
<b>Rear Cogs</b>	microSHIFT, 11-48, 10-speed

<b>Rear Derailleur</b>	microSHIFT Advent X
<b>Shifters</b>	microSHIFT Advent X, 10-speed
<b>Handlebar</b>	Cannondale 3, butted 6061 Alloy, 16 deg flare drop
<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Headset</b>	Integrated, 1-1/8" - 1-1/2"
<b>Brakes</b>	Promax Render R mechanical disc, 160/160mm rotors
<b>Brake Levers</b>	microSHIFT Advent X
<b>Saddle</b>	Cannondale Stage CX
<b>Seatpost</b>	Cannondale 4, 6061 Alloy, 27.2 x 350mm
<b>Sizes</b>	XS, S, M, L, XL
<b>Colour 1</b>	Mango w/ Jet Black (MGO)
<b>Colour 2</b>	Matte Black w/ White (BLK)



# Mountain

TRAIL

CROSS COUNTRY

cannondale



# Mountain

## Trail

---



Jekyll

## Cross Country

---



Scalpel



Scalpel HT

## Dirt Jump

---



Dave

## Sport Hardtail

---



Trail



Trail Women's



# Jekyll 1

Colour - Graphite



## Specifications

C21102U

<b>Frame</b>	165mm travel, Carbon, Proportional Response Tuned, Guidler idler pulley/chainguide, BSA 73, ISCG05, tapered head tube, Ai Offset	<b>Chain</b>	SRAM NX Eagle, 12-speed
<b>Fork</b>	Fox Float Factory 38, 170mm, 15x110mm thru-axle, tapered steerer, 44mm offset	<b>Rear Cogs</b>	SRAM XG-1275, GX Eagle, 10-52, 12-speed
<b>Rear Shock</b>	Fox Float Factory X2, 205x65 Metric Trunnion, Air, Adjustable High Speed/Low Speed Compression, High Speed/Low Speed Rebound	<b>Rear Derailleur</b>	SRAM GX Lunar Eagle
<b>Rims</b>	WTB KOM Trail i30 TCS, 32h, tubeless ready	<b>Shifters</b>	SRAM GX Eagle, 12-speed
<b>Hubs</b>	(F) Formula, 15x110mm thru-axle / (R) SRAM MTH 700, 12x148mm, XD Driver	<b>Handlebar</b>	Cannondale 1 Riser, Carbon, 30mm rise, 8° sweep, 5° rise, 780mm
<b>Spokes</b>	DT Swiss Factory J -Bend	<b>Grips</b>	Cannondale TrailShroom
<b>Tyres</b>	(F) Maxxis Assegai, 29 x 2.5", 3C compound, EXO+ puncture protection, tubeless ready, (R) Maxxis Minion DHR II, 29 x 2.4", EXO+, tubeless ready	<b>Stem</b>	FSA Grid 35, 35mm
<b>Pedals</b>	Not included	<b>Headset</b>	Integrated Sealed Bearing, Tapered
<b>Crank</b>	SRAM X1 Eagle B148 CL55, 30T	<b>Brakes</b>	SRAM Code RSC hydraulic disc, 220/200mm CenterLine rotors
<b>Bottom Bracket</b>	SRAM DUB BSA MTB73	<b>Brake Levers</b>	SRAM Code RSC hydraulic disc
		<b>Saddle</b>	Cannondale Scoop Shallow Elite, cro-mo rails
		<b>Seatpost</b>	Cannondale DownLow Dropper w/ Matchmaker lever, 31.6, 125mm (S), 150mm (M), 170mm (L-XL)
		<b>Sizes</b>	SM, MD, LG, XL
		<b>Colour</b>	Graphite (GRA)
		<b>Extras</b>	Jekyll Custom Fender

# Jekyll 2

Colour 1 - Purple Haze

Colour 2 - Marble Oxblood



## Specifications

C21202U

<b>Frame</b>	165mm travel, Carbon, Proportional Response Tuned, Guidler idler pulley/chainguide, BSA 73, ISCG05, tapered head tube, Ai Offset	<b>Rear Cogs</b>	Shimano Deore M6100, 10-51, 12-speed
<b>Fork</b>	RockShox Zeb Select, 170mm, 15x110mm thru-axle, tapered steerer, 44mm offset	<b>Rear Derailleur</b>	Shimano Deore M6100
<b>Rear Shock</b>	Fox Float DPX2 Performance EVOL, 205x65 Metric Trunnion, Air, 3-Pos adj.	<b>Shifters</b>	Shimano Deore M6100, 12-speed
<b>Rims</b>	WTB STX i30 TCS, 32h, tubeless ready	<b>Handlebar</b>	Cannondale 3 Riser, 6061 Alloy, 30mm rise, 8° sweep, 6° rise, 780mm
<b>Hubs</b>	(F) Shimano MT400, 15x110mm thru-axle / (R) Shimano MT410 12x148mm thru-axle	<b>Grips</b>	Cannondale TrailShroom
<b>Spokes</b>	Stainless steel, 14g	<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 0°
<b>Tyres</b>	(F) Maxxis Assegai, 29 x 2.5", Dual compound, EXO+ puncture protection, tubeless ready, (R) Maxxis Minion DHR II, 29 x 2.4", EXO+, tubeless ready	<b>Headset</b>	Integrated Sealed Bearing, Tapered
<b>Pedals</b>	Not included	<b>Brakes</b>	Shimano M6120 hydraulic disc, 203/203mm RT64 rotors
<b>Crank</b>	Shimano Deore 6120, 30T, 55mm CL	<b>Brake Levers</b>	Shimano M6120 hydraulic disc
<b>Bottom Bracket</b>	Shimano Deore BSA 73	<b>Saddle</b>	Cannondale Stage 3
<b>Chain</b>	Shimano Deore 6100, 12-speed	<b>Seatpost</b>	TranzX dropper, internal routing, 31.6, 130mm (S), 150mm (M - XL)
		<b>Sizes</b>	SM, MD, LG, XL
		<b>Colour 1</b>	Purple Haze (PRH)
		<b>Colour 2</b>	Marble Oxblood (MOX)
		<b>Extras</b>	Jekyll Custom Fender



# Scalpel Hi-MOD Lefty 1

Colour 1 - Cashmere White w/ Jet Black Splatter

Colour 2 - Team Replica



Rendering intended to show colour and graphics only, and does not reflect the model's specifications.

## Specifications

WHT: C24202M RPL: C24111M

<b>Frame</b>	Scalpel Hi-Mod Carbon, 100mm travel, Proportional Response Tuned, FlexPivot Chainstay, PF30-83, Tapered Headtube, Speed Release 12mm thru axle, 55mm chainline, Stash compatible	<b>Chain</b>	SRAM GX Eagle, 12-speed
<b>Fork</b>	Lefty Ocho Carbon, 100mm, Chamber Damper with remote lockout, OppO Spring System, tapered steerer, 55mm offset	<b>Rear Cogs</b>	SRAM XG-1295, X01 Eagle, 10-52, 12-speed
<b>Rear Shock</b>	Fox Float DPS Performance Elite EVOL, remote lockout, adjustable rebound	<b>Rear Derailleur</b>	SRAM X01 Eagle AXS
<b>Rims</b>	HollowGram 25, Superlight Hi-Impact Carbon, 28h, 25mm IW, tubeless ready	<b>Shifters</b>	SRAM Eagle AXS, 12-speed
<b>Hubs</b>	(F) HollowGram Lefty 60 / (R) HollowGram w/ DT Swiss Star Ratchet internals, 12x148mm	<b>Handlebar</b>	Cannondale 1 Flat, Carbon, 31.8mm, 9° back, 760mm
<b>Spokes</b>	DT Swiss Competition Race, straight-pull	<b>Grips</b>	Cannondale XC Silicone
<b>Tyres</b>	(F) Schwalbe Racing Ray EVO, 29 x 2.25", SnakeSkin, Addix Speedgrip, tubeless ready, (R) Schwalbe Racing Ralph EVO, 29 x 2.25", SnakeSkin, Addix Speed, tubeless ready	<b>Stem</b>	Cannondale 1, 7075 Alloy, 1-1/8", 31.8, 7°
<b>Pedals</b>	Not included	<b>Headset</b>	Integrated Sealed Bearing, Tapered
<b>Crank</b>	SRAM X1 Carbon Eagle, 34T, 55mm chainline	<b>Brakes</b>	SRAM Level TLM hydraulic disc, 160/160mm CenterLine rotors
<b>Bottom Bracket</b>	SRAM DUB PF30 MTB83	<b>Brake Levers</b>	SRAM Level TLM hydraulic disc
		<b>Saddle</b>	Prologo Dimension NDR, Tirox rails
		<b>Seatpost</b>	Cannondale 1, UD Carbon, 31.6 x 400mm
		<b>Sizes</b>	SM, MD, LG, XL
		<b>Colour 1</b>	Cashmere White w/ Jet Black Splatter (WHT)
		<b>Colour 2</b>	Team Replica (RPL)
		<b>Connectivity</b>	Cannondale Wheel Sensor
		<b>Extras</b>	Stash Kit (Fabric 8-in-1 Mini Tool & Dynaplug tubeless puncture repair tool), Tubeless valve stems

# Scalpel Carbon Lefty 2

Colour - Raw Carbon w/ Graphite & Charcoal Grey



## Specifications

C24301M

<b>Frame</b>	Scalpel Carbon, 100mm travel, Proportional Response Tuned, FlexPivot Chainstay, PF30-83, Tapered Headtube, Speed Release 12mm thru axle, Ai Offset, Stash compatible	<b>Chain</b>	Shimano XT, 12-speed
<b>Fork</b>	Lefty Ocho, 100mm, Chamber Damper with remote lockout, OppO Spring System, tapered steerer, 55mm offset	<b>Rear Cogs</b>	Shimano XT, 10-51, 12-speed
<b>Rear Shock</b>	Fox Float DPS Performance Elite EVOL, remote lockout, adjustable rebound	<b>Rear Derailleur</b>	Shimano XT
<b>Rims</b>	HollowGram 25, Superlight Hi-Impact Carbon, 28h, 25mm IW, tubeless ready	<b>Shifters</b>	Shimano XT, 12-speed
<b>Hubs</b>	(F) HollowGram Lefty 60 / (R) HollowGram w/ DT Swiss Star Ratchet internals, 12x148mm	<b>Handlebar</b>	Cannondale 2 Flat, butted 2014 Alloy, 31.8mm, 3° rise, 8° sweep, 760mm
<b>Spokes</b>	HollowGram, 2.0/1.8/2.0, straight-pull	<b>Grips</b>	Cannondale XC Silicone
<b>Tyres</b>	(F) Schwalbe Racing Ray EVO, 29 x 2.25", SnakeSkin, Addix Speedgrip, tubeless ready, (R) Schwalbe Racing Ralph EVO, 29 x 2.25", SnakeSkin, Addix Speed, tubeless ready	<b>Stem</b>	Cannondale 1, 7075 Alloy, 1-1/8", 31.8, 7°
<b>Pedals</b>	Not included	<b>Headset</b>	Integrated, 1-1/8 to 1.5", sealed angular contact bearings
<b>Crank</b>	HollowGram, BB30a, OPI SpideRing, 34T, Ai offset	<b>Brakes</b>	Shimano XT hydraulic disc, 160/160mm XT rotors
<b>Bottom Bracket</b>	Cannondale Alloy PressFit30	<b>Brake Levers</b>	Shimano XT hydraulic disc
		<b>Saddle</b>	Prologo Dimension NDR, STN rails
		<b>Seatpost</b>	Cannondale 2, 7075 Alloy, 31.6 x 400mm
		<b>Sizes</b>	MD, LG, XL
		<b>Colour</b>	Raw Carbon w/ Graphite & Charcoal Grey (GRA)
		<b>Connectivity</b>	Cannondale Wheel Sensor
		<b>Extras</b>	Stash Kit (Fabric 8-in-1 Mini Tool & Dynaplug tubeless puncture repair tool), Tubeless valve stems



# Scalpel Carbon Lefty 3

Colour - Mercury Silver w/ Jet Black



## Specifications

C24401M

<b>Frame</b>	Scalpel Carbon, 100mm travel, Proportional Response Tuned, FlexPivot Chainstay, PF30-83, Tapered Headtube, Speed Release 12mm thru axle, Ai Offset, Stash compatible	<b>Bottom Bracket</b>	Cannondale Alloy PressFit30
<b>Fork</b>	Lefty Ocho, 100mm, Chamber Damper with remote lockout, OppO Spring System, tapered steerer, 55mm offset	<b>Chain</b>	Shimano SLX, 12-speed
<b>Rear Shock</b>	Fox Float DPS Performance Elite EVOL, remote lockout, adjustable rebound	<b>Rear Cogs</b>	Shimano SLX, 10-51, 12-speed
<b>Rims</b>	Stan's NoTubes Crest S1, 28h, tubeless ready	<b>Rear Derailleur</b>	Shimano XT
<b>Hubs</b>	(F) HollowGram Lefty 60 / (R) Shimano MT510 12x148mm thru-axle	<b>Shifters</b>	Shimano SLX, 12-speed
<b>Spokes</b>	DT Swiss Champion	<b>Handlebar</b>	Cannondale 2 Flat, butted 2014 Alloy, 31.8mm, 3° rise, 8° sweep, 760mm
<b>Tyres</b>	(F) Schwalbe Racing Ray Performance, 29 x 2.25", Addix Compound, tubeless ready, (R) Schwalbe Racing Ralph Performance, 29 x 2.25", Addix Compound, tubeless ready	<b>Grips</b>	Cannondale XC Silicone
<b>Pedals</b>	Not included	<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Crank</b>	HollowGram, BB30a, OPI SpideRing, 34T, Ai offset	<b>Headset</b>	Integrated, 1-1/8 to 1.5", sealed angular contact bearings
		<b>Brakes</b>	Shimano Deore hydraulic disc, 160/160mm RT54 rotors
		<b>Brake Levers</b>	Shimano Deore hydraulic disc
		<b>Saddle</b>	Prologo Dimension NRD, STN rails
		<b>Seatpost</b>	Cannondale 2, 7075 Alloy, 31.6 x 400mm
		<b>Sizes</b>	SM, MD, LG, XL
		<b>Colour</b>	Mercury Silver w/ Jet Black (MRC)
		<b>Connectivity</b>	Cannondale Wheel Sensor

# Scalpel Carbon SE 1

Colour - Abyss Blue



## Specifications

C24251M

<b>Frame</b>	Scalpel SE Carbon, 120mm travel, Proportional Response Tuned, FlexPivot Chainstay, PF30-83, Tapered Headtube, Speed Release 12mm thru axle, Ai offset, Stash compatible	<b>Rear Cogs</b>	Shimano XT, 10-51, 12-speed
<b>Fork</b>	RockShox SID Select+ RL, 120mm, Debonair, 15x110mm thru-axle, tapered steerer, 44mm offset	<b>Rear Derailleur</b>	Shimano XT
<b>Rear Shock</b>	RockShox SIDLuxe Select+, 2-Pos mode adjust, adjustable rebound	<b>Shifters</b>	Shimano XT, 12-speed
<b>Rims</b>	HollowGram 25, Superlight Hi-Impact Carbon, 28h, 25mm IW, tubeless ready	<b>Handlebar</b>	Cannondale 1 Riser, Carbon, 31.8mm, 9° sweep, 4° rise, 780mm
<b>Hubs</b>	(F) HollowGram, 15x110mm thru-axle/ (R) HollowGram w/DT Swiss Star Ratchet internals, 12x148mm	<b>Grips</b>	Cannondale XC Silicone
<b>Spokes</b>	DT Swiss Competition Race, straight-pull	<b>Stem</b>	Cannondale 1, 7075 Alloy, 1-1/8", 31.8, 7°
<b>Tires</b>	(F) Maxxis Ardent Race, 29 x 2.35", EXO Protection, tubeless ready, (R) Maxxis Recon Race, 29 x 2.25", EXO Protection, tubeless ready	<b>Headset</b>	Integrated Sealed Bearing, Tapered
<b>Crank</b>	HollowGram, BB30a, OPI SpideRing, 32T, Ai offset	<b>Brakes</b>	Shimano XT hydraulic disc, 180/160mm XT rotors
<b>Bottom Bracket</b>	Cannondale Alloy PressFit30	<b>Brake Levers</b>	Shimano XT hydraulic disc
<b>Chain</b>	Shimano SLX, 12-speed	<b>Saddle</b>	Cannondale Scoop Flat Elite, cro-mo rails
		<b>Seatpost</b>	Cannondale DownLow Dropper, internal routing, 31.6, 100mm (S), 125mm (M-L), 150mm (XL)
		<b>Sizes</b>	SM, MD, LG, XL
		<b>Colour</b>	Abyss Blue (ABB)
		<b>Connectivity</b>	Cannondale Wheel Sensor
		<b>Extras</b>	Stash Kit (Fabric 8-in-1 Mini Tool & Dynaplug tubeless puncture repair tool), Tubeless valve stems

# Scalpel Carbon SE 2

Colour - Black Magic



## Specifications

C24852U

<b>Frame</b>	120mm travel, Carbon, Proportional Response Tuned, FlexPivot Chainstay, PF30-83, Tapered Headtube, Speed Release 12mm thru axle, Ai Offset, Stash compatible	<b>Chain</b>	Shimano Deore 6100, 12-speed
<b>Fork</b>	RockShox SID Select, 120mm, Debonair, 15x110mm thru-axle, tapered steerer, 44mm offset	<b>Rear Cogs</b>	Shimano Deore M6100, 10-51, 12-speed
<b>Rear Shock</b>	RockShox SIDLuxe Select+, 2-Pos mode adjust, adjustable rebound, 190x45	<b>Front Derailleur</b>	N/A
<b>Rims</b>	Stan's NoTubes Crest D, 32h, tubeless ready	<b>Rear Derailleur</b>	Shimano XT
<b>Hubs</b>	(F) Shimano MT400, 15x110mm thru-axle / (R) Shimano MT410 12x148mm thru-axle	<b>Shifters</b>	Shimano Deore M6100, 12-speed
<b>Spokes</b>	DT Swiss Factory, 14g	<b>Handlebar</b>	Cannondale 3 Riser, 6061 Alloy, 30mm rise, 8° sweep, 6° rise, 780mm
<b>Tyres</b>	(F) Maxxis Ardent Race, 29 x 2.35", EXO Protection, tubeless ready, (R) Maxxis Recon Race, 29 x 2.35", EXO Protection, tubeless ready	<b>Grips</b>	Cannondale TrailShroom
<b>Pedals</b>	Not included	<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Crank</b>	Cannondale 1, BB30a, OPI SpideRing, 32T, Ai Offset	<b>Headset</b>	Integrated Sealed Bearing, Tapered
<b>Bottom Bracket</b>	Cannondale PF30 MTB	<b>Brakes</b>	Shimano MT501 hydraulic disc, 180/160mm RT64 rotors
		<b>Brake Levers</b>	Shimano MT501 hydraulic disc
		<b>Saddle</b>	Cannondale Scoop Shallow Sport, steel rails
		<b>Seatpost</b>	Cannondale DownLow Dropper, internal routing, 31.6, 100mm (S), 125mm (M-L), 150mm (XL)
		<b>Sizes</b>	SM, MD, LG, XL
		<b>Colour</b>	Black Magic (BKM)

# Scalpel HT Hi-Mod 1

Colour - White



## Specifications

C25101U

<b>Frame</b>	Scalpel HT Hi-MOD Carbon, Proportional Response Design, PF30-83, tapered head tube, 55mm chainline, Speed Release 12mm thru axle w/UDH hanger	<b>Chain</b>	Shimano XT, 12-speed
<b>Fork</b>	Lefty Ocho 120 Carbon, 110mm, Chamber Damper with remote lockout, OppO Spring System, tapered steerer, 50mm offset	<b>Rear Cogs</b>	Shimano XT, 10-51, 12-speed
<b>Rims</b>	HollowGram 25, Superlight Hi-Impact Carbon, 28h, 25mm IW, tubeless ready	<b>Rear Derailleur</b>	Shimano XTR
<b>Hubs</b>	(F) HollowGram Lefty 60 / (R) HollowGram w/ DT Swiss Star Ratchet internals, 12x148mm	<b>Shifters</b>	Shimano XT, 12-speed
<b>Spokes</b>	DT Swiss Competition Race, straight-pull	<b>Handlebar</b>	Cannondale 1 Flat, Carbon, 31.8mm, 9° back, 760mm
<b>Tyres</b>	(F) Schwalbe Racing Ray EVO, 29 x 2.25", SnakeSkin, Addix Speedgrip, tubeless ready, (R) Schwalbe Racing Ralph EVO, 29 x 2.25", SnakeSkin, Addix Speed, tubeless ready	<b>Grips</b>	Cannondale XC Silicone
<b>Pedals</b>	Not Included	<b>Stem</b>	Cannondale 1, 7075 Alloy, 1-1/8", 31.8, 7°
<b>Crank</b>	HollowGram, BB30 83MTB, OPI SpideRing, 34T, 55mm chainline	<b>Headset</b>	Integrated, 1-1/8 to 1.5", sealed angular contact bearings
<b>Bottom Bracket</b>	Cannondale Alloy PressFit30	<b>Brakes</b>	Shimano XT hydraulic disc, 180/160mm XT rotors
		<b>Brake Levers</b>	Shimano XT hydraulic disc
		<b>Saddle</b>	Prologo Dimension NDR, Tirox rails
		<b>Seatpost</b>	Cannondale C1 Carbon, 27.2x400mm
		<b>Sizes</b>	SM, MD, LG, XL
		<b>Colour</b>	White (WHT)
		<b>Connectivity</b>	Cannondale Wheel Sensor

# Scalpel HT Carbon 2

Colour - Purple Haze



## Specifications

C25231U

<b>Frame</b>	Scalpel HT Carbon, Proportional Response Design, PF30-83, tapered head tube, 55mm chainline, Speed Release 12mm thru axle w/UDH hanger	<b>Rear Cogs</b>	Shimano XT, 10-51, 12-speed
<b>Fork</b>	Lefty Ocho, 100mm, Chamber Damper with remote lockout, OppO Spring System, tapered steerer, 55mm offset	<b>Rear Derailleur</b>	Shimano XT
<b>Rims</b>	Stan's NoTubes Crest MK4, 28h, tubeless ready	<b>Shifters</b>	Shimano XT, 12-speed
<b>Hubs</b>	(F) HollowGram Lefty 60 / (R) Shimano 7110, 12x148mm thru-axle	<b>Handlebar</b>	Cannondale 1 Flat, Carbon, 31.8mm, 9° back, 760mm
<b>Spokes</b>	DT Swiss Competition	<b>Grips</b>	Cannondale XC Silicone
<b>Tyres</b>	(F) Schwalbe Racing Ray EVO, 29 x 2.25", SnakeSkin, Addix Speedgrip, tubeless ready, (R) Schwalbe Racing Ralph EVO, 29 x 2.25", SnakeSkin, Addix Speed, tubeless ready	<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 7°
<b>Pedals</b>	Not Included	<b>Headset</b>	Integrated, 1-1/8 to 1.5", sealed angular contact bearings
<b>Crank</b>	HollowGram, BB30 83MTB, OPI SpideRing, 34T, 55mm chainline	<b>Brakes</b>	Shimano XT hydraulic disc, 160/160mm XT rotors
<b>Bottom Bracket</b>	Cannondale Alloy PressFit30	<b>Brake Levers</b>	Shimano XT hydraulic disc
<b>Chain</b>	Shimano SLX, 12-speed	<b>Saddle</b>	Cannondale Scoop Shallow Elite, hollow cro-mo rails
		<b>Seatpost</b>	Cannondale C1 Carbon, 27.2x400mm
		<b>Sizes</b>	MD, LG, XL
		<b>Colour</b>	Purple Haze (PRH)
		<b>Connectivity</b>	Cannondale Wheel Sensor



# Scalpel HT Carbon 3

Colour 1 - Black Pearl  
Colour 2 - Highlighter



## Specifications

C25301U

<b>Frame</b>	Scalpel HT Carbon, Proportional Response Design, PF30-83, tapered head tube, 55mm chainline, Speed Release 12mm thru axle w/UDH hanger	<b>Rear Cogs</b>	Shimano SLX, 10-51, 12-speed
<b>Fork</b>	RockShox SID SL Select+ RL, 100mm, Debonair, remote lockout, 15x110mm thru-axle, tapered steerer, 44mm offset	<b>Rear Derailleur</b>	Shimano XT
<b>Rims</b>	Stan's NoTubes Crest MK4, 28h, tubeless ready	<b>Shifters</b>	Shimano SLX, 12-speed
<b>Hubs</b>	(F) Shimano MT410, 15x110mm thru-axle / (R) Shimano MT510, 12x148mm thru-axle	<b>Handlebar</b>	Cannondale 2 Flat, butted 2014 Alloy, 31.8mm, 3° rise, 8° sweep, 760mm
<b>Spokes</b>	DT Swiss Competition	<b>Grips</b>	Cannondale XC Silicone
<b>Tyres</b>	(F) Schwalbe Racing Ray EVO, 29 x 2.25", Twinskin, tubeless ready, (R) Schwalbe Racing Ralph EVO, 29 x 2.25", SnakeSkin, Addix compound, tubeless ready	<b>Stem</b>	Cannondale 2, 6061 Alloy, 31.8, 7°
<b>Pedals</b>	Not Included	<b>Headset</b>	Integrated, 1-1/8 to 1.5", sealed angular contact bearings
<b>Crank</b>	Cannondale 1, BB30 83MTB, OPI SpideRing, 34T, 55mm chainline	<b>Brakes</b>	Shimano M6100 hydraulic disc, 160/160mm RT64 rotors
<b>Bottom Bracket</b>	Cannondale Alloy PressFit30	<b>Brake Levers</b>	Shimano M6100 hydraulic disc
<b>Chain</b>	Shimano SLX, 12-speed	<b>Saddle</b>	Cannondale Scoop Shallow Elite, hollow cro-mo rails
		<b>Seatpost</b>	C2 Carbon, 27.2x400mm
		<b>Sizes</b>	SM, MD, LG, XL
		<b>Colour 1</b>	Black Pearl (BPL)
		<b>Colour 2</b>	Highlighter (HLT)
		<b>Connectivity</b>	Cannondale Wheel Sensor

# Scalpel HT Carbon 4

Colour - Acid Red



## Specifications

C25401U

<b>Frame</b>	Scalpel HT Carbon, Proportional Response Design, PF30-83, tapered head tube, 55mm chainline, Speed Release 12mm thru axle w/UDH hanger	<b>Rear Cogs</b>	Shimano Deore M6100, 10-51, 12-speed
<b>Fork</b>	RockShox SID SL , 100mm, Debonair, remote lockout, 15x110mm thru-axle, tapered steerer, 44mm offset	<b>Rear Derailleur</b>	Shimano XT
<b>Rims</b>	WTB STX i23, 32h, tubeless ready	<b>Shifters</b>	Shimano Deore M6100, 12-speed
<b>Hubs</b>	(F) Shimano MT410, 15x110mm thru-axle / (R) Shimano MT410, 12x148mm thru-axle	<b>Handlebar</b>	Cannondale 2 Flat, butted 2014 Alloy, 31.8mm, 3° rise, 8° sweep, 760mm
<b>Spokes</b>	DT Swiss Champion 2.0	<b>Grips</b>	Cannondale TrailShroom
<b>Tyres</b>	(F) Schwalbe Racing Ray EVO, 29 x 2.25", Twinskin, tubeless ready, (R) Schwalbe Racing Ralph EVO, 29 x 2.25", SnakeSkin, Addix compound, tubeless ready	<b>Stem</b>	Cannondale 2, 6061 Alloy, 31.8, 7°
<b>Pedals</b>	Not Included	<b>Headset</b>	Integrated, 1-1/8 to 1.5", sealed angular contact bearings
<b>Crank</b>	Shimano M5121, 30T, 55mm chainline	<b>Brakes</b>	Shimano MT501 hydraulic disc, 160/160mm RT54 rotors
<b>Bottom Bracket</b>	Cannondale Alloy PressFit 30 - 24mm	<b>Brake Levers</b>	Shimano MT500 hydraulic disc
<b>Chain</b>	Shimano Deore, 12-speed	<b>Saddle</b>	Cannondale Scoop Shallow Sport, steel rails
		<b>Seatpost</b>	C3 Alloy, 27.2x400mm
		<b>Sizes</b>	SM, MD, LG, XL
		<b>Colour</b>	Acid Red (ARD)
		<b>Connectivity</b>	Cannondale Wheel Sensor

# Trail SE 1

Colour - Meteor Grey



## Specifications

C26101M

<b>Frame</b>	All-New, Smartform C2 Alloy, SAVE dropped seatstays, tapered headtube, post mount disc, StraightShot internal cable routing, dropper post compatible BSA 73, 12mm thru axle, Boost 148
<b>Fork</b>	RockShox 35 Gold RL, 120mm, Debonair, 51mm offset
<b>Rims</b>	WTB STX i25 TCS, 32h, tubeless ready
<b>Hubs</b>	(F) Shimano MT400, 15x110mm thru-axle (R) Shimano MT400 12x148
<b>Spokes</b>	Stainless Steel, 14g
<b>Tyres</b>	(F) Maxxis Minion DHF 29 x 2.5" Exo Casing, Tubeless Ready (R) Maxxis High Roller II, 29 x 2.3", EXO casing, tubeless ready
<b>Pedals</b>	Cannondale Platform
<b>Crank</b>	SRAM SX Eagle Power Spline, 30T
<b>Bottom Bracket</b>	Truvativ Power Spline
<b>Chain</b>	SRAM NX Eagle, 12-speed

<b>Rear Cogs</b>	SRAM SX Eagle, 11-50, 12-speed
<b>Rear Derailleur</b>	SRAM NX Eagle
<b>Shifters</b>	SRAM SX Eagle, 12-speed
<b>Handlebar</b>	FSA Alloy Riser, 15mm rise, 760mm
<b>Grips</b>	Fabric FunGuy
<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 0°
<b>Headset</b>	Integrated Sealed Bearing, Tapered
<b>Brakes</b>	Shimano MT420 4-piston hydraulic disc, 180/160mm RT30 rotors
<b>Brake Levers</b>	Shimano M400 hydraulic disc
<b>Saddle</b>	Cannondale Trail, 170mm, steel rails
<b>Seatpost</b>	TranzX Dropper, 31.6, Internal Routing, 130mm
<b>Connectivity</b>	Cannondale Wheel Sensor
<b>Sizes</b>	SM, MD, LG, XL
<b>Colour</b>	Meteor Grey (MTG)

# Trail SE 2

Colour - Emerald



## Specifications

C26201M

<b>Frame</b>	All-New, Smartform C2 Alloy, SAVE dropped seatstays, tapered headtube, post mount disc, StraightShot internal cable routing, dropper post compatible BSA 73, 12mm thru axle, Boost 148
<b>Fork</b>	Rock Shox 35 Silver R, 120mm, 51mm offset
<b>Rims</b>	WTB STX i25 TCS, 32h, tubeless ready
<b>Hubs</b>	(F) Shimano MT400, 15x110mm thru-axle (R) Shimano MT400 12x148
<b>Spokes</b>	Stainless Steel, 14g
<b>Tyres</b>	(F) Maxxis Minion DHF 29 x 2.5" Exo Casing, Tubeless Ready (R) Maxxis High Roller II, 29 x 2.3", EXO casing, tubeless ready
<b>Pedals</b>	Cannondale Platform
<b>Crank</b>	SRAM SX Eagle Power Spline, 30T
<b>Bottom Bracket</b>	Truvativ Power Spline
<b>Chain</b>	SRAM SX Eagle, 12-speed
<b>Rear Cogs</b>	SRAM SX Eagle, 12-speed

<b>Rear Derailleur</b>	SRAM SX Eagle
<b>Shifters</b>	SRAM SX Eagle, 12-speed
<b>Handlebar</b>	FSA Alloy Riser, 15mm rise, 760mm
<b>Grips</b>	Fabric FunGuy
<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 0°
<b>Headset</b>	Integrated Sealed Bearing, Tapered
<b>Brakes</b>	Shimano MT410 4-piston hydraulic disc, 180/160mm RT10 rotors
<b>Brake Levers</b>	Shimano M400 hydraulic disc
<b>Saddle</b>	Cannondale Trail, 170mm, steel rails
<b>Seatpost</b>	TranzX Dropper, 31.6, Internal Routing, 130mm
<b>Connectivity</b>	Cannondale Wheel Sensor
<b>Sizes</b>	SM, MD, LG, XL
<b>Colour</b>	Emerald (EMR)

# Trail SL 3

Colour 1 - Rally Red



## Specifications

C26351M

<b>Frame</b>	Trail SL, Smartform C2 Alloy, SAVE dropped seatstays, tapered headtube, post mount disc, StraightShot internal cable routing, dropper post compatible BSA 73, 12mm thru axle, Boost 148	<b>Rear Derailleur</b>	microSHIFT Advent X Pro
<b>Fork</b>	RockShox Judy Silver TK, 100mm, Solo Air, 15x110 thru-axle, remote lockout, 51mm offset	<b>Shifters</b>	microSHIFT Advent X Pro, 10-Speed
<b>Rims</b>	WTB STX i23 TCS, 32h, tubeless ready	<b>Handlebar</b>	FSA Alloy Riser, 15mm rise, 760mm
<b>Hubs</b>	(F) Shimano MT400, 15x110mm thru-axle / (R) Shimano MT400 12x148mm thru-axle	<b>Grips</b>	Cannondale Locking Grips
<b>Spokes</b>	Stainless Steel, 14g	<b>Stem</b>	Cannondale 3 with Intellimount, Alloy, 31.8mm clamp
<b>Tyres</b>	Schwalbe Rocket Rick, 29 x 2.25"	<b>Headset</b>	Integrated Sealed Bearing, Tapered
<b>Pedals</b>	Cannondale Platform	<b>Brakes</b>	Shimano MT200 hydraulic disc, 160/160mm RT10 rotors
<b>Crank</b>	Prowheel, 30T	<b>Brake Levers</b>	Shimano MT200 hydraulic disc
<b>Bottom Bracket</b>	Sealed Bearing Cartridge	<b>Saddle</b>	Cannondale Ergo XC
<b>Chain</b>	KMC X10, 10-speed	<b>Seatpost</b>	Cannondale 3, 6061 Alloy, 31.6 x 350mm (S), 400mm (M-XL)
<b>Rear Cogs</b>	microSHIFT Advent X, 11-48, 10-speed	<b>Sizes</b>	SM, MD, LG, XL
		<b>Color 1</b>	Black Pearl (RRD)
		<b>Connectivity</b>	Cannondale Wheel Sensor

# Trail SE 3

Colour - Impact Orange



## Specifications

C26301M

<b>Frame</b>	All-New, Smartform C2 Alloy, SAVE dropped seatstays, tapered headtube, post mount disc, StraightShot internal cable routing, dropper post compatible BSA 73, 12mm thru axle, Boost 148	<b>Rear Cogs</b>	Shimano Deore M5100, 11-51, 11-speed
<b>Fork</b>	RockShox Judy Silver TK, 120mm, Solo Air, 15x110, 51mm offset	<b>Rear Derailleur</b>	Shimano Deore M5100
<b>Rims</b>	WTB STX i25 TCS, 32h, tubeless ready	<b>Shifters</b>	Shimano Deore M5100, 11-speed
<b>Hubs</b>	(F) Shimano MT400, 15x110mm thru-axle (R) Shimano MT400 12x148	<b>Handlebar</b>	FSA Alloy Riser, 15mm rise, 760mm
<b>Spokes</b>	Stainless Steel, 14g	<b>Grips</b>	Cannondale Locking Grips
<b>Tyres</b>	(F) WTB Breakout 29 x 2.3" (R) WTB Trail Boss 29 x 2.25"	<b>Stem</b>	Cannondale, 6061 Alloy, 31.8, 7°
<b>Pedals</b>	Not included	<b>Headset</b>	Integrated Sealed Bearing, Tapered
<b>Crank</b>	FSA Alpha Drive, 30T	<b>Brakes</b>	Shimano MT200 hydraulic disc, 160/160mm RT10 rotors
<b>Bottom Bracket</b>	Cartridge, square taper	<b>Brake Levers</b>	Shimano MT200 hydraulic disc
<b>Chain</b>	KMC X11, 11-speed	<b>Saddle</b>	Cannondale Trail, 170mm, steel rails
		<b>Seatpost</b>	TranzX Dropper, 31.6, Internal Routing, 130mm
		<b>Sizes</b>	MD, LG
		<b>Colour</b>	Impact Orange (IOR)



# Trail SL 4

Colour - Black Pearl w/ Charcoal Grey



## Specifications

C26451M

<b>Frame</b>	Trail SL, Smartform C2 Alloy, SAVE dropped seatstays, tapered headtube, post mount disc, StraightShot internal cable routing, dropper post compatible BSA 73, 12mm thru axle, Boost 148	<b>Rear Derailleur</b>	microSHIFT Advent X
<b>Fork</b>	SR Suntour XCR LO Boost 29, 100mm travel, 15mm thru axle, tapered alloy steerer, Remote Lockout	<b>Shifters</b>	microSHIFT Advent X, 10-Speed
<b>Rims</b>	WTB STX i23 TCS, 32h, tubeless ready	<b>Handlebar</b>	Cannondale 3 Riser, 6061 Alloy, 15mm rise, 8° sweep, 4° rise, 780mm
<b>Hubs</b>	(F) Shimano MT200, QR / (R) Shimano MT400, 12x148mm thru-axle	<b>Grips</b>	Cannondale Locking Grips
<b>Spokes</b>	Stainless Steel, 14g	<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 0°
<b>Tyres</b>	Schwalbe Rocket Rick, 29 x 2.25"	<b>Headset</b>	Integrated Sealed Bearing, Tapered
<b>Pedals</b>	Not included	<b>Brakes</b>	Shimano MT200 hydraulic disc, 160/160mm RT10 rotors
<b>Crank</b>	Prowheel, 30T	<b>Brake Levers</b>	Shimano MT200 hydraulic disc
<b>Bottom Bracket</b>	Sealed Bearing Cartridge	<b>Saddle</b>	Cannondale Ergo XC
<b>Chain</b>	KMC X10, 10-speed	<b>Seatpost</b>	Cannondale 3, 6061 Alloy, 31.6 x 350mm (S), 400mm (M-XL)
<b>Rear Cogs</b>	microSHIFT Advent X, 11-48, 10-speed	<b>Sizes</b>	SM, MD, LG, XL
		<b>Colour</b>	Black Pearl w/ Charcoal Grey (GRY)

# Trail 5

Colour 1 - Rally Red



## Specifications

C26501M

<b>Frame</b>	SmartForm C3 Alloy, SAVE, 1-1/8" headtube, post mount disc, StraightShot internal cable routing, dropper post compatible, BSA-73	<b>Rear Derailleur</b>	microSHIFT Advent X
<b>Fork</b>	SR Suntour XCM, 100mm, coil, 42mm offset (27.5") 46mm offset (29")	<b>Shifters</b>	microSHIFT Advent X, 10-Speed
<b>Rims</b>	WTB SX19, 32h	<b>Handlebar</b>	Cannondale Riser, 6061 Alloy, 25mm rise, 8° sweep, 6° rise, 720mm
<b>Hubs</b>	(F) Shimano HB-TX505, QR / (R) Shimano FH-TX505, QR	<b>Grips</b>	Cannondale Dual-Density
<b>Spokes</b>	Stainless Steel, 14g	<b>Stem</b>	6061 Alloy, 31.8, 7°
<b>Tyres</b>	WTB Ranger Comp, 29x2.25" (27.5x2.25" - XS, SM), DNA Compound	<b>Headset</b>	Semi-Integrated, 1-1/8"
<b>Pedals</b>	Cannondale Platform	<b>Brakes</b>	Tektro M275 hydraulic disc, 160/160mm rotors
<b>Bottom Bracket</b>	Sealed bearing cartridge, square taper	<b>Brake Levers</b>	Tektro hydraulic disc
<b>Chain</b>	KMC X10, 10-speed	<b>Saddle</b>	Cannondale Stage 3
<b>Rear Cogs</b>	microSHIFT, 11-48T, 10-speed	<b>Seatpost</b>	Cannondale 3, 6061 Alloy, 31.6 x 350mm (XS - SM), 400mm (MD-XL)
		<b>Sizes</b>	XS, SM, MD, LG, XL
		<b>Colour</b>	Rally Red (RRD)

# Trail 6

Colour 1 - Hazard Orange w/ Quicksand & Olive Green

Colour 2 - Abyss Blue w/ Stealth Grey & Volt



Rendering intended to show colour and graphics only, and does not reflect the model's specifications.

## Specifications

C26601M

<b>Frame</b>	SmartForm C3 Alloy, SAVE, 1-1/8" headtube, post mount disc, StraightShot internal cable routing, dropper post compatible, BSA-73	<b>Rear Derailleur</b>	Shimano Acera
<b>Fork</b>	SR Suntour XCT, 100mm, coil, 42mm offset (27.5") 46mm offset (29")	<b>Shifters</b>	Shimano M315 Rapidfire Plus, 8-speed
<b>Rims</b>	WTB SX19, 32h	<b>Handlebar</b>	Cannondale Riser, 6061 Alloy, 25mm rise, 8° sweep, 6° rise, 720mm
<b>Hubs</b>	(F) Shimano HB-TX505, QR / (R) Shimano FH-TX505, QR	<b>Grips</b>	Cannondale Dual-Density
<b>Spokes</b>	Stainless Steel, 14g	<b>Stem</b>	6061 Alloy, 31.8, 7°
<b>Tyres</b>	WTB Ranger Comp, 29x2.25" (27.5x2.25" - XS, SM), DNA Compound	<b>Headset</b>	Semi-Integrated, 1-1/8"
<b>Pedals</b>	Cannondale Platform	<b>Brakes</b>	Tektro M275 hydraulic disc, 160/160mm rotors
<b>Crank</b>	Prowheel, 36/22	<b>Brake Levers</b>	Tektro hydraulic disc
<b>Bottom Bracket</b>	Sealed bearing cartridge, square taper	<b>Saddle</b>	Cannondale Stage 3
<b>Chain</b>	KMC X8, 8-speed	<b>Seatpost</b>	Cannondale 3, 6061 Alloy, 31.6 x 350mm (XS - SM), 400mm (MD-XL)
<b>Rear Cogs</b>	Sunrace, 11-34, 8-speed	<b>Sizes</b>	XS, SM, MD, LG, XL
<b>Front Derailleur</b>	Shimano Altus, 34.9 clamp	<b>Colour 1</b>	Hazard Orange w/ Quicksand & Olive Green (ORG)
		<b>Colour 2</b>	Abyss Blue w/ Stealth Grey & Volt (ABB)

# Trail 7

Colour 1 - Jet Black w/ Charcoal Grey & Fine Silver

Colour 2 - Rally Red w/ Stealth Grey & Jet Black



Rendering intended to show colour and graphics only, and does not reflect the model's specifications.

## Specifications

C26701M

<b>Frame</b>	SmartForm C3 Alloy, SAVE, 1-1/8" headtube, post mount disc, StraightShot internal cable routing, dropper post compatible, BSA-73	<b>Front Derailleur</b>	microSHIFT Dual Pull Compact, Band Clamp
<b>Fork</b>	SR Suntour XCT DS, 100mm, coil, 42mm offset (27.5") 46mm offset (29")	<b>Rear Derailleur</b>	microSHIFT M36L
<b>Rims</b>	WTB SX19, 32h	<b>Shifters</b>	microSHIFT, 8-speed
<b>Hubs</b>	(F) Shimano HB-TX505, QR / (R) Shimano FH-TX505, QR	<b>Handlebar</b>	6061 Alloy Riser, 31.8mm, 25mm rise, 700mm
<b>Spokes</b>	Stainless Steel, 14g	<b>Grips</b>	Cannondale Dual-Density
<b>Tyres</b>	WTB Ranger Comp, 29x2.25" (27.5x2.25" - XS, SM), DNA Compound	<b>Stem</b>	6061 Alloy, 31.8, 8°
<b>Pedals</b>	Cannondale Platform	<b>Headset</b>	Semi-Integrated, 1-1/8"
<b>Crank</b>	Prowheel, 36/22	<b>Brakes</b>	Tektro M275 hydraulic disc, 160/160mm rotors
<b>Bottom Bracket</b>	Sealed bearing cartridge, square taper	<b>Brake Levers</b>	Tektro hydraulic disc
<b>Chain</b>	KMC Z8.1, 8-speed	<b>Saddle</b>	Cannondale Stage 3
<b>Rear Cogs</b>	Sunrace, 11-34, 8-speed	<b>Seatpost</b>	Cannondale 3, 6061 Alloy, 31.6 x 350mm (XS - SM), 400mm (MD-XL)
		<b>Sizes</b>	XS, SM, MD, LG, XL
		<b>Colour 1</b>	Jet Black w/ Charcoal Grey & Fine Silver (BLK)
		<b>Colour 2</b>	Rally Red w/ Stealth Grey & Jet Black (RRD)

# Trail Women's 6

Colour - Mantis Gray w/ Rainbow Trout & Deep Purple



## Specifications

C26401F

<b>Frame</b>	SmartForm C3 Alloy, SAVE, 1-1/8" headtube, post mount disc, StraightShot internal cable routing, dropper post compatible, BSA-73	<b>Front Derailleur</b>	Shimano Altus, 34.9 clamp
<b>Fork</b>	SR Suntour XCT, 100mm, coil, 42mm offset (27.5") 46mm offset (29")	<b>Rear Derailleur</b>	Shimano Acera
<b>Rims</b>	WTB SX19, 32h	<b>Shifters</b>	Shimano M315 Rapidfire Plus, 8-speed
<b>Hubs</b>	(F) Shimano HB-TX505, QR / (R) Shimano FH-TX505, QR	<b>Handlebar</b>	Cannondale Riser, 6061 Alloy, 25mm rise, 8° sweep, 6° rise, 720mm
<b>Spokes</b>	Stainless Steel, 14g	<b>Grips</b>	Cannondale Dual-Density
<b>Tyres</b>	WTB Ranger Comp, 29x2.25" (27.5x2.25" - XS, SM), DNA Compound	<b>Stem</b>	6061 Alloy, 31.8, 7°
<b>Pedals</b>	Cannondale Platform	<b>Headset</b>	Semi-Integrated, 1-1/8"
<b>Crank</b>	Prowheel, 36/22	<b>Brakes</b>	Tektro M275 hydraulic disc, 160/160mm rotors
<b>Bottom Bracket</b>	Sealed bearing cartridge, square taper	<b>Brake Levers</b>	Tektro hydraulic disc
<b>Chain</b>	KMC X8, 8-speed	<b>Saddle</b>	Cannondale Stage 2 Women's
<b>Rear Cogs</b>	Sunrace, 11-34, 8-speed	<b>Seatpost</b>	Cannondale 3, 6061 Alloy, 31.6 x 350mm (XS - SM), 400mm (MD)
		<b>Sizes</b>	XS, SM, MD
		<b>Colour</b>	Mantis Gray w/ Rainbow Trout & Deep Purple (MGY)

# Trail Women's 7

Colour 1 - Cool Mint w/ Deep Teal & Rally Red

Colour 2 - Iridescent



## Specifications

C26501F

<b>Frame</b>	SmartForm C3 Alloy, SAVE, 1-1/8" headtube, post mount disc, StraightShot internal cable routing, dropper post compatible, BSA-73	<b>Front Derailleur</b>	microSHIFT Dual Pull Compact, Band Clamp
<b>Fork</b>	SR Suntour XCT DS, 100mm, coil, 42mm offset (27.5") 46mm offset (29")	<b>Rear Derailleur</b>	microSHIFT M36L
<b>Rims</b>	WTB SX19, 32h	<b>Shifters</b>	microSHIFT, 8-speed
<b>Hubs</b>	(F) Shimano HB-TX505, QR / (R) Shimano FH-TX505, QR	<b>Handlebar</b>	6061 Alloy Riser, 31.8mm, 25mm rise, 700mm
<b>Spokes</b>	Stainless Steel, 14g	<b>Grips</b>	Cannondale Dual-Density
<b>Tires</b>	WTB Ranger Comp, 29x2.25" (27.5x2.25" - XS, SM), DNA Compound	<b>Stem</b>	6061 Alloy, 31.8, 8°
<b>Pedals</b>	Cannondale Platform	<b>Headset</b>	Semi-Integrated, 1-1/8"
<b>Crank</b>	Prowheel, 36/22	<b>Brakes</b>	Tektro M275 hydraulic disc, 160/160mm rotors
<b>Bottom Bracket</b>	Sealed bearing cartridge, square taper	<b>Brake Levers</b>	Tektro hydraulic disc
<b>Chain</b>	KMC Z8.1, 8-speed	<b>Saddle</b>	Cannondale Stage 2 Women's
<b>Rear Cogs</b>	Sunrace, 11-34, 8-speed	<b>Seatpost</b>	Cannondale 3, 6061 Alloy, 31.6 x 350mm (XS - SM), 400mm (MD)
		<b>Sizes</b>	XS, SM, MD
		<b>Colour 1</b>	Cool Mint w/ Deep Teal & Rally Red (CMT)
		<b>Colour 2</b>	Iridescent (IRD)



# Dave

Colour 1 - Stealth Grey



## Specifications

C29101U

<b>Frame</b>	C3 Alloy, Threaded BB, Disc Brake Mount, Integrated 1-1/8"-1.5" Tapered Headtube, 3/8" Dropout w/ Integrated Chain Tensioners	<b>Chain</b>	KMC HL1 Wide
<b>Fork</b>	Manitou Circus Expert, Air w/ Rebound Adjust, 100mm, 20mm thru-axle, 1-1/8"-1-1/2" tapered steerer, preload adjuster, black stanchions	<b>Rear Cogs</b>	Sunrace 13T
<b>Rims</b>	Alloy, double wall, 32h	<b>Front Derailleur</b>	N/A
<b>Hubs</b>	(F) Formula 20x110mm thru-axle / (R) Sealed bearing cassette, 3/8x17mm female bolt	<b>Handlebar</b>	Cannondale 3 Riser, 6061 Alloy, 30mm rise, 8° sweep, 6° rise, 780mm
<b>Spokes</b>	Stainless steel, 14g	<b>Grips</b>	Cannondale TrailShroom
<b>Tyres</b>	Maxxis DTH 26 x 2.3"	<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 0°
<b>Pedals</b>	Low profile alloy with grippy pins, boron axle	<b>Headset</b>	Integrated Sealed Bearing, Tapered
<b>Crank</b>	Tubular Cr-Mo 3pc., 170mm Arms, Cold Forged CR-MO 22mm x 8T Spline Spindle, 28T	<b>Brakes</b>	Tektro mechanical disc, 160/160mm rotors
<b>Bottom Bracket</b>	BMX Euro Type w/ Solid Spindle	<b>Brake Levers</b>	Tektro 2 finger
		<b>Saddle</b>	Cannondale Magic Steel, steel rails
		<b>Seatpost</b>	Cannondale 3, 6061 Alloy, 27.2 x 200mm
		<b>Sizes</b>	One Size
		<b>Colour</b>	Stealth Grey (SGY)



# Active

URBAN

FITNESS

cannondale



# Active

## Urban

---



Bad Boy



Treadwell EQ



Treadwell

## Fitness

---



Quick





# Bad Boy 1

Colour - Matte Black



## Specifications

C33100M

<b>Frame</b>	SmartForm C1 Alloy, integrated Urban Armor bumper, BSA, 1-1/8" headtube, sliding dropout
<b>Fork</b>	Lefty LightPipe rigid, integrated SuperNova LED lightstrip, USB rechargeable battery, 1-1/8" steerer
<b>Rims</b>	Cannondale, double wall w/eyelets, 32h
<b>Hubs</b>	(F) Lefty 50 front / (R) Shimano Alfine 8-speed internal rear
<b>Spokes</b>	Stainless Steel, 14g
<b>Tyres</b>	WTB Byway, 650b x 40c
<b>Pedals</b>	Cannondale Urban Pedal
<b>Crank</b>	Gates S150, Gates Belt Drive CDX sprocket 46T
<b>Bottom Bracket</b>	Thun Zumba
<b>Chain</b>	Gates Carbon Drive, CDX Centertrack, 113T
<b>Rear Cogs</b>	Gates, CDX, 22T

<b>Shifters</b>	Shimano Alfine Rapidfire, 8-speed
<b>Handlebar</b>	Cannondale Riser, 6061 Alloy, 18mm rise, 8° back, 4° up, 680mm
<b>Grips</b>	Fabric Silicone Cell
<b>Stem</b>	Bad Boy Si, integrated sandwich stem, 65mm
<b>Headset</b>	FSA Cartridge Bearing
<b>Brakes</b>	Shimano MT400 hydraulic disc, 160/160mm RT26/RT30 rotors
<b>Brake Levers</b>	Shimano MT401 hydraulic disc
<b>Saddle</b>	Fabric Scoop Radius Elite, cro-mo rails
<b>Seatpost</b>	LightSkin w/ integrated rear LED light, 31.6, USB Rechargeable
<b>Sizes</b>	SM, MD, LG, XL
<b>Colour 1</b>	Matte Black (BBQ)

# Bad Boy 2

Colour - Matte Black



## Specifications

C33200M

<b>Frame</b>	SmartForm C2 Alloy, integrated Urban Armor bumper, BSA threaded BB, 1-1/8" headtube
<b>Fork</b>	Lefty LightPipe rigid, integrated SuperNova LED lightstrip, USB rechargeable battery, 1-1/8" steerer
<b>Rims</b>	Cannondale, double wall, 32h
<b>Hubs</b>	(F) Lefty 50 / (R) Formula DC-1422 QR
<b>Spokes</b>	Stainless Steel, 14g
<b>Tyres</b>	WTB Byway, 650b x 40c
<b>Pedals</b>	Cannondale Urban Pedal
<b>Crank</b>	Shimano MT210, 46/30
<b>Bottom Bracket</b>	Cartridge, sealed
<b>Chain</b>	KMC Z9, 9-speed
<b>Rear Cogs</b>	Sunrace, 11-32, 9-speed
<b>Front Derailleur</b>	microSHIFT Dual Pull Compact, Steel Cage, Steel Band Clamp

<b>Rear Derailleur</b>	microSHIFT M36L
<b>Shifters</b>	microSHIFT, 9-speed
<b>Handlebar</b>	Cannondale 3 Riser, 6061 Alloy, 18mm rise, 8° back, 4° up, 680mm
<b>Grips</b>	Cannondale Comfort
<b>Stem</b>	Bad Boy, 6061 Alloy, 31.8, 60mm
<b>Headset</b>	Semi-Integrated
<b>Brakes</b>	Tektro M275 hydraulic disc, 160/160mm rotors
<b>Brake Levers</b>	Tektro hydraulic disc
<b>Saddle</b>	Cannondale Urban
<b>Seatpost</b>	LightSkin w/ integrated rear LED light, 31.6, USB Rechargeable
<b>Sizes</b>	SM, MD, LG, XL
<b>Colour 1</b>	Matte Black (BBQ)

# Treadwell EQ DLX

Colour - Black Magic



## Specifications

C37131M

<b>Frame</b>	SmartForm C3 Alloy, Ride-Easy lowstandover geometry, Straightshot hidden cable routing, Urban Armor frame bumpers, flat mount disc, rack/fender mounts	<b>Rear Derailleur</b>	microSHIFT Advent
<b>Fork</b>	SmartForm C3 Alloy blades, 1-1/8" steerer, OutFront offset, flat mount disc, mid-blade mounts	<b>Shifters</b>	microSHIFT Advent, 9-speed
<b>Rims</b>	Cannondale Disc, double wall w/eyelet, 32h	<b>Handlebar</b>	Cannondale Cruise Control riser, 6061 alloy, 31.8mm, 15° back, 740mm
<b>Hubs</b>	(F) Shimano Dynamo DH-3D37 / (R) Sealed Alloy Disc, 5mm Hex Security QR	<b>Grips</b>	Cannondale Comfort
<b>Spokes</b>	Stainless Steel, 14g	<b>Stem</b>	Cannondale 3 with Intellimount, Alloy, 31.8, 6°
<b>Tyres</b>	Maxxis DTR-1, 650b x 47c	<b>Headset</b>	Semi-Integrated, 1-1/8"
<b>Pedals</b>	Cannondale Comfort	<b>Brakes</b>	Tektro HD-R280 hydraulic disc, 160/140mm rotors
<b>Crank</b>	Prowheel, 38T	<b>Brake Levers</b>	Tektro hydraulic disc
<b>Bottom Bracket</b>	Cartridge, square taper	<b>Saddle</b>	Cannondale Treadwell, 170mm, steel rails
<b>Chain</b>	KMC X9, 9-speed	<b>Seatpost</b>	Alloy, 31.6 x 350mm
<b>Rear Cogs</b>	microSHIFT, 11-42, 9-speed	<b>Connectivity</b>	Cannondale Wheel Sensor
<b>Front Derailleur</b>	Shimano Tourney, 31.8 clamp	<b>Sizes</b>	SM, MD, LG
		<b>Colour</b>	Black Magic (BKM)
		<b>Extras</b>	Alloy Fenders, Front & Rear Rack, Kickstand, Spanninga Front & Rear Dynamo Lights

# Treadwell EQ DLX Remixte

Colour - Black Magic



## Specifications

C37131U

<b>Frame</b>	SmartForm C3 Alloy, Ride-Easy lowstandover geometry, Straightshot hidden cable routing, Urban Armor frame bumpers, flat mount disc, rack/fender mounts	<b>Rear Derailleur</b>	microSHIFT Advent
<b>Fork</b>	SmartForm C3 Alloy blades, 1-1/8" steerer, OutFront offset, flat mount disc, mid-blade mounts	<b>Shifters</b>	microSHIFT Advent, 9-speed
<b>Rims</b>	Cannondale Disc, double wall w/eyelet, 32h	<b>Handlebar</b>	Cannondale Cruise Control riser, 6061 alloy, 31.8mm, 15° back, 740mm
<b>Hubs</b>	(F) Shimano Dynamo DH-3D37 / (R) Sealed Alloy Disc, 5mm Hex Security QR	<b>Grips</b>	Cannondale Comfort
<b>Spokes</b>	Stainless Steel, 14g	<b>Stem</b>	Cannondale 3 with Intellimount, Alloy, 31.8, 6°
<b>Tyres</b>	Maxxis DTR-1, 650b x 47c	<b>Headset</b>	Semi-Integrated, 1-1/8"
<b>Pedals</b>	Cannondale Comfort	<b>Brakes</b>	Tektro HD-R280 hydraulic disc, 160/140mm rotors
<b>Crank</b>	Prowheel, 38T	<b>Brake Levers</b>	Tektro hydraulic disc
<b>Bottom Bracket</b>	Cartridge, square taper	<b>Saddle</b>	Cannondale Treadwell, 170mm, steel rails
<b>Chain</b>	KMC X9, 9-speed	<b>Seatpost</b>	Alloy, 31.6 x 350mm
<b>Rear Cogs</b>	microSHIFT, 11-42, 9-speed	<b>Connectivity</b>	Cannondale Wheel Sensor
<b>Front Derailleur</b>	Shimano Tourney, 31.8 clamp	<b>Sizes</b>	SM, LG
		<b>Colour</b>	Black Magic (BKM)
		<b>Extras</b>	Alloy Fenders, Front & Rear Rack, Kickstand, Spanninga Front & Rear Dynamo Lights

# Treadwell 3

Colour - Gunmetal Green



## Specifications

C37300M

<b>Frame</b>	SmartForm C3 Alloy, Ride-Easy lowstandover geometry, Straightshot hidden cable routing, Urban Armor frame bumpers, flat mount disc, rack/fender mounts	<b>Rear Derailleur</b>	microSHIFT M21L
<b>Fork</b>	Steel blades, 1-1/8" steerer, OutFront offset, flat mount disc, mid-blade rack/fender mounts	<b>Shifters</b>	microSHIFT, 7-speed
<b>Rims</b>	Cannondale Disc, double wall w/eyelet, 32h	<b>Handlebar</b>	Cannondale Cruise Control riser, 6061 alloy, 31.8mm, 15° back, 740mm
<b>Hubs</b>	(F) Sealed Alloy Disc, QR / (R) Sealed Alloy Disc, 5mm Hex Security QR	<b>Grips</b>	Cannondale Comfort
<b>Spokes</b>	Stainless Steel, 14g	<b>Stem</b>	Cannondale 3 with Intellimount, Alloy, 31.8, 6°
<b>Tyres</b>	Maxxis DTR-1, 650b x 47c	<b>Headset</b>	Semi-Integrated, 1-1/8"
<b>Pedals</b>	Cannondale Comfort	<b>Brakes</b>	Promax mechanical disc, 160/160mm rotors
<b>Crank</b>	Prowheel, 38T	<b>Brake Levers</b>	Promax, XL-101
<b>Bottom Bracket</b>	Cartridge, square taper	<b>Saddle</b>	Cannondale Treadwell, 170mm, steel rails
<b>Chain</b>	KMC Z7, 7-speed	<b>Seatpost</b>	Alloy, 31.6 x 350mm
<b>Rear Cogs</b>	Sunrace, 11-34, 7-speed	<b>Connectivity</b>	Cannondale Wheel Sensor
		<b>Sizes</b>	SM, MD, LG
		<b>Colour</b>	Gunmetal Green (GMG)

# Treadwell 3 Remixte

Colour - Iridescent



## Specifications

C37300U

<b>Frame</b>	SmartForm C3 Alloy, Ride-Easy lowstandover geometry, Straightshot hidden cable routing, Urban Armor frame bumpers, flat mount disc, rack/fender mounts	<b>Rear Derailleur</b>	microSHIFT M21L
<b>Fork</b>	Steel blades, 1-1/8" steerer, OutFront offset, flat mount disc, mid-blade rack/fender mounts	<b>Shifters</b>	microSHIFT, 7-speed
<b>Rims</b>	Cannondale Disc, double wall w/eyelet, 32h	<b>Handlebar</b>	Cannondale Cruise Control riser, 6061 alloy, 31.8mm, 15° back, 740mm
<b>Hubs</b>	(F) Sealed Alloy Disc, QR / (R) Sealed Alloy Disc, 5mm Hex Security QR	<b>Grips</b>	Cannondale Comfort
<b>Spokes</b>	Stainless Steel, 14g	<b>Stem</b>	Cannondale 3 with Intellimount, Alloy, 31.8, 6°
<b>Tyres</b>	Maxxis DTR-1, 650b x 47c	<b>Headset</b>	Semi-Integrated, 1-1/8"
<b>Pedals</b>	Cannondale Comfort	<b>Brakes</b>	Promax mechanical disc, 160/160mm rotors
<b>Crank</b>	Prowheel, 38T	<b>Brake Levers</b>	Promax, XL-101
<b>Bottom Bracket</b>	Cartridge, square taper	<b>Saddle</b>	Cannondale Treadwell, 170mm, steel rails
<b>Chain</b>	KMC Z7, 7-speed	<b>Seatpost</b>	Alloy, 31.6 x 350mm
<b>Rear Cogs</b>	Sunrace, 11-34, 7-speed	<b>Connectivity</b>	Cannondale Wheel Sensor
		<b>Sizes</b>	SM, LG
		<b>Colour</b>	Iridescent (IRD)



# Quick 1

Colour - Black Pearl



## Specifications

C31100M

<b>Frame</b>	SmartForm C3 Alloy, SAVE, tapered head tube, Straightshot hidden cable routing, flat mount disc, rack/fender mounts, 360° reflectivity	<b>Front Derailleur</b>	Shimano 105, 31.8 clamp
<b>Fork</b>	Full carbon, 12x100mm thru-axle, 1-1/4" to 1-1/8" tapered steerer, flat mount disc, fender mounts, 360° reflectivity	<b>Rear Derailleur</b>	Shimano 105 GS
<b>Rims</b>	Cannondale Disc, double wall w/eyelet, 32h	<b>Shifters</b>	Shimano RS700 FB, 11-speed
<b>Hubs</b>	(F) Formula CRX-512, 12x100mm / (R) Formula CX-22, QR	<b>Handlebar</b>	Cannondale 3 Riser, 6061 Alloy, 18mm rise, 8° back, 4° up, 6mm
<b>Spokes</b>	Stainless Steel, 14g	<b>Grips</b>	Cannondale Ergo Fitness Dual Density, Lock-on
<b>Tyres</b>	Schwalbe Lugano, 700 x 32c, K-Guard, reflective strip	<b>Stem</b>	Cannondale 3 with Intellimount, Alloy, 31.8mm clamp
<b>Pedals</b>	Cannondale Fitness Reinforced Composite	<b>Headset</b>	FSA Sealed Bearing, integrated, 1-1/4"-1-1/8"
<b>Crank</b>	FSA Omega ME Alloy, 50/34	<b>Brakes</b>	Shimano MT201-UR300 hydraulic disc, 160/160mm RT56 rotors
<b>Bottom Bracket</b>	FSA MegaExo	<b>Brake Levers</b>	Shimano MT201
<b>Chain</b>	Shimano HG601, 11-speed	<b>Saddle</b>	Cannondale Fitness Ergo Double Density
<b>Rear Cogs</b>	Shimano 105, 11-32, 11-speed	<b>Seatpost</b>	Cannondale 3, 6061 Alloy, 27.2 x 350mm
		<b>Sizes</b>	SM, MD, LG, XL, 2XL
		<b>Colour</b>	Black Pearl (BPL)
		<b>Connectivity</b>	Cannondale Wheel Sensor

# Quick 3

Colour - Mercury



## Specifications

C31301M

<b>Frame</b>	SmartForm C3 Alloy, SAVE, tapered head tube, Straightshot hidden cable routing, flat mount disc, rack/fender mounts, 360° reflectivity	<b>Rear Derailleur</b>	Shimano Altus
<b>Fork</b>	Full carbon, 12x100mm thru-axle, 1-1/4" to 1-1/8" tapered steerer, flat mount disc, fender mounts, 360° reflectivity	<b>Shifters</b>	Shimano Altus, 9-speed
<b>Rims</b>	Cannondale Disc, double wall w/eyelet, 32h	<b>Handlebar</b>	6061 Alloy Double-butted, 25mm rise, 8° sweep, 6° rise, 640mm
<b>Hubs</b>	(F) Formula CRX-512, 12x100mm / (R) Formula DC-1422, QR	<b>Grips</b>	Cannondale Ergo Fitness Dual Density, Lock-On
<b>Spokes</b>	Stainless Steel, 14g	<b>Stem</b>	Cannondale 3 with Intellimount, Alloy, 31.8mm clamp
<b>Tyres</b>	Schwalbe Spicer, 700 x 35c, K-Guard, reflective strip	<b>Headset</b>	FSA Sealed Bearing, integrated, 1-1/4"-1-1/8"
<b>Pedals</b>	Cannondale Fitness Reinforced Composite	<b>Brakes</b>	Tektro HD-R280 hydraulic disc, 160/140mm rotors
<b>Crank</b>	Prowheel, 48/32	<b>Brake Levers</b>	Tektro hydraulic disc
<b>Bottom Bracket</b>	Cartridge, square taper	<b>Saddle</b>	Cannondale Fitness Ergo Double Density
<b>Chain</b>	KMC Z9, 9-speed	<b>Seatpost</b>	6061 Alloy, 27.2 x 350mm
<b>Rear Cogs</b>	Sunrace, 11-34, 9-speed	<b>Sizes</b>	SM, MD, LG, XL
<b>Front Derailleur</b>	Shimano Acera, 31.8 clamp	<b>Colour</b>	Mercury (MRC)
		<b>Connectivity</b>	Cannondale Wheel Sensor

# Quick 3 Remixte

Colour - Turquoise



## Specifications

C31501U

<b>Frame</b>	Low-step, SmartForm C3 Alloy, SAVE, tapered head tube, Straightshot hidden cable routing, flat mount disc, rack/fender mounts, 360° reflectivity	<b>Front Derailleur</b>	Shimano Acera, 31.8 clamp
<b>Fork</b>	Full carbon, 12x100mm thru-axle, 1-1/4" to 1-1/8" tapered steerer, flat mount disc, fender mounts, 360° reflectivity	<b>Rear Derailleur</b>	Shimano Altus
<b>Rims</b>	Cannondale Disc, double wall w/eyelet, 32h	<b>Shifters</b>	Shimano Altus, 9-speed
<b>Hubs</b>	(F) Formula CRX-512, 12x100mm / (R) Formula DC-1422, QR	<b>Handlebar</b>	6061 Alloy Double-butted, 25mm rise, 8° sweep, 6° rise, 620mm
<b>Spokes</b>	Stainless Steel, 14g	<b>Grips</b>	Cannondale Ergo Fitness Dual Density, Lock-On
<b>Tyres</b>	Schwalbe Spicer, 700 x 35c, K-Guard, reflective strip	<b>Stem</b>	Cannondale 3 with Intellimount, Alloy, 31.8mm clamp
<b>Pedals</b>	Cannondale Fitness Reinforced Composite	<b>Headset</b>	FSA Sealed Bearing, integrated, 1-1/4"-1-1/8"
<b>Crank</b>	Prowheel, 48/32	<b>Brakes</b>	Tektro HD-R280 hydraulic disc, 160/140mm rotors
<b>Bottom Bracket</b>	Cartridge, square taper	<b>Brake Levers</b>	Tektro hydraulic disc
<b>Chain</b>	KMC Z9, 9-speed	<b>Saddle</b>	Cannondale Fitness Ergo Double Density
<b>Rear Cogs</b>	Sunrace, 11-34, 9-speed	<b>Seatpost</b>	6061 Alloy, 27.2 x 350mm
		<b>Sizes</b>	XS, SM, MD
		<b>Colour</b>	Turquoise (TRQ)
		<b>Connectivity</b>	Cannondale Wheel Sensor

# Quick 5

Colour - Emerald



## Specifications

C31501M

<b>Frame</b>	SmartForm C3 Alloy, SAVE, tapered head tube, Straightshot hidden cable routing, flat mount disc, rack/fender mounts, 360° reflectivity	<b>Rear Derailleur</b>	Shimano Tourney
<b>Fork</b>	Chromoly, 1-1/8" steerer, OutFront offset, flat mount disc, mid-blade mounts	<b>Shifters</b>	Shimano M315 Rapidfire Plus, 7-speed
<b>Rims</b>	Cannondale Disc, double wall w/eyelet, 32h	<b>Handlebar</b>	6061 Alloy Double-butted, 25mm rise, 8° sweep, 6° rise, 640mm
<b>Hubs</b>	(F) Shimano HB-TX505, QR / (R) Shimano FH-TY505, QR	<b>Grips</b>	Cannondale Ergo Fitness
<b>Spokes</b>	Stainless Steel, 14g	<b>Stem</b>	Cannondale 3 with Intellimount, alloy, 31.8mm clamp
<b>Tyres</b>	Kenda Kwest, 700 × 35c, K-Guard, reflective strip	<b>Headset</b>	Integrated, 1-1/4"-1-1/8"
<b>Pedals</b>	Cannondale Fitness	<b>Brakes</b>	Promax mechanical disc, 160/160mm rotors
<b>Crank</b>	Shimano Tourney, 46/30	<b>Brake Levers</b>	Promax BL42
<b>Bottom Bracket</b>	Cartridge, square taper	<b>Saddle</b>	Cannondale Fitness Ergo Double Density
<b>Chain</b>	KMC Z7, 7-speed	<b>Seatpost</b>	6061 Alloy, 27.2 × 350mm
<b>Rear Cogs</b>	Shimano HG200, 12-32, 7-speed	<b>Sizes</b>	SM, MD, LG, XL
<b>Front Derailleur</b>	Shimano Tourney, 31.8 clamp	<b>Colour</b>	Emerald (EMR)
		<b>Connectivity</b>	Cannondale Wheel Sensor

# Quick 5 Remixte

Colour 1 - Highlighter

Colour 2 - Sage Grey



## Specifications

C31551F

<b>Frame</b>	Low-step, SmartForm C3 Alloy, SAVE, tapered head tube, Straightshot hidden cable routing, flat mount disc, rack/fender mounts, 360° reflectivity	<b>Front Derailleur</b>	Shimano Tourney, 31.8 clamp
<b>Fork</b>	Chromoly, 1-1/8" steerer, OutFront offset, flat mount disc, mid-blade mounts	<b>Rear Derailleur</b>	Shimano Tourney
<b>Rims</b>	Cannondale Disc, double wall w/eyelet, 32h	<b>Shifters</b>	Shimano M315 Rapidfire Plus, 7-speed
<b>Hubs</b>	(F) Shimano HB-TX505, QR / (R) Shimano FH-TX505, QR	<b>Handlebar</b>	6061 Alloy Double-butted, 25mm rise, 8° sweep, 6° rise, 620mm
<b>Spokes</b>	Stainless Steel, 14g	<b>Grips</b>	Cannondale Ergo Fitness
<b>Tyres</b>	Kenda Kwest, 700 × 35c, K-Guard, reflective strip	<b>Stem</b>	6061 Alloy, 31.8, 8°
<b>Pedals</b>	Cannondale Fitness	<b>Headset</b>	Integrated, 1-1/4"-1-1/8"
<b>Crank</b>	Shimano Tourney, 46/30	<b>Brakes</b>	Promax mechanical disc, 160/160mm rotors
<b>Bottom Bracket</b>	Cartridge, square taper	<b>Brake Levers</b>	Promax BL42
<b>Chain</b>	KMC Z7, 7-speed	<b>Saddle</b>	Cannondale Fitness Ergo Double Density
<b>Rear Cogs</b>	Shimano HG200, 12-32, 7-speed	<b>Seatpost</b>	6061 Alloy, 27.2 × 350mm
		<b>Sizes</b>	XS, SM, MD
		<b>Colour 1</b>	Highlighter (HLT)
		<b>Colour 2</b>	Sage Grey (SGG)
		<b>Connectivity</b>	Cannondale Wheel Sensor





# E-Bike

E-MOUNTAIN

E-URBAN

E-FITNESS

E-ROAD

cannondale



# E-Bike

## E-Mountain

---



Moterra Neo Carbon



Moterra Neo



Moterra Neo LT

## E-Road

---



Topstone Neo SL

## E-Fitness

---



Treadwell Neo



Quick Neo SL

## E-Urban

---



Tesoro Neo SL



Adventure Neo





# Moterra Neo Carbon 1

Colour - Abyss Blue w/ Jet Black



## Specifications

C25152U

<b>Frame</b>	Moterra Neo Carbon Front Triangle, SmartForm C1 Alloy Swingarm, 150mm travel, Proportional Response Tuned Suspension, removable downtube battery, alloy skid plate, 55mm chainline, internal cable routing, 148x12mm thru-axle, UDH hanger, post mount brake, 1.5" - 1.8" tapered headtube, 18mm two-bolt kickstand mount	<b>Pedals</b>	Not included
<b>Fork</b>	RockShox Lyrik Select+, 150mm, DebonAir, 15x110mm thru-axle, tapered steered, 42mm offset	<b>Crank</b>	FSA Bosch E-bike w/ 55mm chainline, 160mm, 34T
<b>Rear Shock</b>	RockShox Deluxe Select+, DebonAir, 2-Pos mode adjust, adjustable rebound	<b>Chain</b>	Shimano XT, 12-speed
<b>Drive Unit</b>	Bosch Performance Line CX 250W	<b>Rear Cogs</b>	Shimano XT, 10-51, 12-speed
<b>Battery</b>	Bosch PowerTube 750Wh	<b>Rear Derailleur</b>	Shimano XTR
<b>Display</b>	Bosch Kiox 300 w/ LED remote	<b>Shifters</b>	Shimano XT, 12-speed
<b>Charger</b>	Bosch 4A	<b>Handlebar</b>	HollowGram SAVE riser bar, Carbon, 35mm clamp, 30mm rise, 8° sweep, 5° rise, 780mm
<b>Rims</b>	WTB KOM Trail i30 TCS, 32h, tubeless ready	<b>Grips</b>	Fabric FunGuy
<b>Hubs</b>	(F) Formula 15x110mm thru-axle / (R) DT Swiss, 12x148mm thru-axle	<b>Stem</b>	Cannondale 2, 6061 Alloy, 35mm, 0°
<b>Spokes</b>	DT Swiss Champion	<b>Headset</b>	Acros integrated sealed bearing, tapered
<b>Tyres</b>	(F) Maxxis Minion DHF, 29 x 2.6", EXO, tubeless ready / (R) Maxxis Rekon, 29 x 2.6" (27.5x2.6" - size Small), EXO, tubeless ready	<b>Brakes</b>	Shimano XT 8120 4-piston hydraulic disc, 203/203mm RT76 rotors
		<b>Brake Levers</b>	Shimano XT hydraulic disc
		<b>Saddle</b>	Fabric Scoop Shallow Elite, cro-mo rails
		<b>Seatpost</b>	Cannondale DownLow Dropper, internal routing, 31.6, 125mm (S), 150mm (M), 170mm (L, XL)
		<b>Connectivity</b>	Cannondale Wheel Sensor
		<b>Sizes</b>	SM,MD,LG,XL
		<b>Colour</b>	Abyss Blue w/ Jet Black (ABB)
		<b>Extras</b>	Lezyne Super HB STVZO E1000 w/ remote high beam switch

# Moterra Neo Carbon 2

Colour 1 - Mantis Grey w/ Jet Black

Colour 2 - Highlighter w/ Jet Black



## Specifications

C25252U

<b>Frame</b>	Moterra Neo Carbon Front Triangle, SmartForm C1 Alloy Swingarm, 150mm travel, Proportional Response Tuned Suspension, removable downtube battery, alloy skid plate, 55mm chainline, internal cable routing, 148x12mm thru-axle, UDH hanger, post mount brake, 1.5" - 1.8" tapered headtube, 18mm two-bolt kickstand mount	<b>Pedals</b>	Not included
<b>Fork</b>	RockShox Lyrik Select, 150mm, DebonAir, 15x110mm thru-axle, tapered steered, 42mm offset	<b>Crank</b>	FSA Bosch E-bike w/ 55mm chainline, 160mm, 34T
<b>Rear Shock</b>	RockShox Deluxe Select+, DebonAir, 2-Pos mode adjust, adjustable rebound	<b>Chain</b>	Shimano SLX, 12-speed
<b>Drive Unit</b>	Bosch Performance Line CX 250W	<b>Rear Cogs</b>	Shimano SLX, 10-51, 12-speed
<b>Battery</b>	Bosch PowerTube 750Wh	<b>Rear Derailleur</b>	Shimano XT
<b>Display</b>	Bosch Kiox 300 w/ LED remote	<b>Shifters</b>	Shimano SLX, 12-speed
<b>Charger</b>	Bosch 4A	<b>Handlebar</b>	Cannondale 3 Riser, 6061 Alloy, 25mm rise, 8° sweep, 5° rise, 800mm
<b>Rims</b>	WTB ST i30 TCS, 32h, tubeless ready	<b>Grips</b>	Fabric FunGuy
<b>Hubs</b>	(F) Formula 15x110mm thru-axle / (R) Shimano MT410, 12x148mm thru-axle	<b>Stem</b>	Cannondale 2, 6061 Alloy, 35mm, 0°
<b>Spokes</b>	DT Swiss Champion	<b>Headset</b>	Acros integrated sealed bearing, tapered
<b>Tyres</b>	(F) Maxxis Minion DHF, 29 x 2.6", EXO, tubeless ready / (R) Maxxis Rekon, 29 x 2.6" (27.5x2.6" - size Small), EXO, tubeless ready	<b>Brakes</b>	Shimano MT520 4-piston hydraulic disc, 203/203mm RT64 rotors
		<b>Brake Levers</b>	Shimano MT501 hydraulic disc
		<b>Saddle</b>	Fabric Scoop Shallow Sport, steel rails
		<b>Seatpost</b>	Cannondale DownLow Dropper, internal routing, 31.6, 125mm (S), 150mm (M), 170mm (L-XL)
		<b>Connectivity</b>	Cannondale Wheel Sensor
		<b>Sizes</b>	SM,MD,LG,XL
		<b>Colour 1</b>	Mantis Grey w/ Jet Black (MGY)
		<b>Colour 2</b>	Highlighter w/ Jet Black (HLT)
		<b>Extras</b>	Pre-installed light cable



# Moterra Neo 3

Colour - Mercury



## Specifications

C65331U

<b>Frame</b>	Moterra Neo, SmartForm C1 Alloy, 150mm travel, Proportional Response Tuned Suspension, removable downtube battery, injection molded skid plate, 55mm chainline, internal cable routing, 148x12mm thru-axle, UDH hanger, post mount brake, tapered headtube, 18mm two-bolt kickstand mount, integrated rear rack mounts
<b>Fork</b>	RockShox Yari RC, 150mm, 15x110mm Boost, 42mm offset
<b>Rear Shock</b>	RockShox Deluxe Select, DebonAir, 2-Pos mode adjust, adjustable rebound
<b>Drive Unit</b>	Bosch Performance Line CX 250W
<b>Battery</b>	Bosch PowerTube 750Wh
<b>Display</b>	Bosch Kiox 300 w/ LED remote
<b>Charger</b>	Bosch 4A
<b>Rims</b>	WTB ST i30 TCS, 32h, tubeless ready
<b>Hubs</b>	(F) Formula 15x110mm thru-axle / (R) Shimano MT410, 12x148mm thru-axle
<b>Spokes</b>	Stainless Steel, 14g
<b>Tyres</b>	(F) Maxxis Minion DHF, 29 x 2.6", EXO, tubeless ready / (R) Maxxis Rekon, 29 x 2.6" (27.5x2.6" - size Small), EXO, tubeless ready
<b>Pedals</b>	Not included

<b>Crank</b>	FSA Bosch E-bike w/ 55mm chainline, 160mm, 34T
<b>Chain</b>	Shimano Deore 6100, 12-speed
<b>Rear Cogs</b>	Shimano Deore M6100, 10-51, 12-speed
<b>Rear Derailleur</b>	Shimano XT
<b>Shifters</b>	Shimano Deore M6100, 12-speed
<b>Handlebar</b>	Cannondale 3 Riser, 6061 Alloy, 15mm rise, 8° sweep, 4° rise, 780mm
<b>Grips</b>	Fabric FunGuy
<b>Stem</b>	Cannondale 3, 6061 Alloy, 31.8, 0°
<b>Headset</b>	Integrated Sealed Bearing, Tapered
<b>Brakes</b>	Shimano MT420 4-piston hydraulic disc, 203/203mm rotors
<b>Brake Levers</b>	Shimano MT401 hydraulic disc
<b>Saddle</b>	Fabric Scoop Shallow Sport, steel rails
<b>Seatpost</b>	TranzX dropper, internal routing, 31.6, 130mm (S), 150mm (M-XL)
<b>Connectivity</b>	Cannondale Wheel Sensor
<b>Sizes</b>	SM,MD,LG,XL
<b>Colour</b>	Mercury (MRC)
<b>Extras</b>	Pre-installed light cable

# Moterra Neo 4

Colour - Impact Orange



## Specifications

C65411U

<b>Frame</b>	Moterra Neo, SmartForm C2 Alloy, 150mm travel, removable downtube battery, injection molded skid plate, 55mm chainline, internal cable routing, 148x12mm thru-axle, UDH hanger, post mount brake, tapered headtube, 18mm two-bolt kickstand mount, integrated rear rack mounts
<b>Fork</b>	RockShox 35 Silver R, 150mm, Solo Air, 15x110mm stealth thru-axle, tapered steerer, 51mm offset
<b>Rear Shock</b>	RockShox Deluxe Select R, DebonAir
<b>Drive Unit</b>	Shimano EP8
<b>Battery</b>	Shimano BT-E8036, 630Wh
<b>Display</b>	Shimano SC-EM800, Bluetooth enabled
<b>Charger</b>	Shimano Battery Charger 2A
<b>Rims</b>	WTB STX i25 TCS, 32h, tubeless ready
<b>Hubs</b>	(F) Shimano MT400, 15x110mm thru-axle / (R) Shimano MT410, 12x148mm thru-axle
<b>Spokes</b>	Stainless steel, 14g
<b>Tyres</b>	Maxxis Rekon, 29 x 2.6", 60TPI Exo

<b>Pedals</b>	Not included
<b>Crank</b>	FSA E-Bike, 165mm, SRAM Eagle, 34T Steel
<b>Chain</b>	SRAM SX Eagle, 12-speed
<b>Rear Cogs</b>	SRAM PG-1210, SX Eagle, 11-50, 12-speed
<b>Rear Derailleur</b>	SRAM SX Eagle
<b>Shifters</b>	SRAM NX Eagle, 12-speed
<b>Handlebar</b>	Cannondale 3 Riser, 6061 Alloy, 15mm rise, 8° sweep, 4° rise, 780mm
<b>Grips</b>	Fabric Funguy
<b>Stem</b>	Cannondale 3, 3D Forged 6061 Alloy, 1-1/8", 31.8, 0-degree
<b>Brakes</b>	TRP Slate G4 4 Piston hydraulic disc, 200/200mm rotors
<b>Brake Levers</b>	TRP hydraulic disc
<b>Saddle</b>	Cannondale Ergo XC
<b>Seatpost</b>	TranzX dropper, internal routing, 31.6, 100mm (S), 120mm (M), 130mm (L-XL)
<b>Sizes</b>	SM, MD, LG, XL
<b>Colour 1</b>	Impact Orange (ORG)

# Moterra Neo Carbon LT 2

Colour - Satin Jet Black w/ Gloss Jet Black & Charcoal Grey



## Specifications

C25552U

<b>Frame</b>	Moterra Neo Carbon Front Triangle, SmartForm C1 Alloy Swingarm, 160mm travel, Proportional Response Tuned Suspension, removable downtube battery, alloy skid plate, 55mm chainline, internal cable routing, 148x12mm thru-axle, UDH hanger, post mount brake, 1.5" – 1.8" tapered headtube, 18mm two-bolt kickstand mount	<b>Crank</b>	FSA Bosch E-bike w/ 55mm chainline, 160mm, 34T
<b>Fork</b>	RockShox Zeb Select, Charger RC, 170mm, DebonAir, 15x110mm, 51mm offset	<b>Chain</b>	Shimano SLX, 12-speed
<b>Rear Shock</b>	RockShox Deluxe Select+, Coil, 2-Pos mode adjust, adjustable rebound	<b>Rear Cogs</b>	Shimano SLX, 10-51, 12-speed
<b>Drive Unit</b>	Bosch Performance Line CX 250W	<b>Rear Derailleur</b>	Shimano XT
<b>Battery</b>	Bosch PowerTube 750Wh	<b>Shifters</b>	Shimano SLX, 12-speed
<b>Display</b>	Bosch Kiox 300 w/ LED remote	<b>Handlebar</b>	Cannondale 3 Riser, 6061 Alloy, 25mm rise, 8° sweep, 5° rise, 800mm
<b>Charger</b>	Bosch 4A	<b>Grips</b>	Fabric FunGuy
<b>Rims</b>	WTB ST i30 TCS, 32h, tubeless ready	<b>Stem</b>	Cannondale 2, 6061 Alloy, 35mm, 0°
<b>Hubs</b>	(F) Formula 15x110mm thru-axle / (R) Shimano MT410, 12x148mm thru-axle	<b>Headset</b>	Acros integrated sealed bearing, tapered
<b>Spokes</b>	Stainless Steel, 14g	<b>Brakes</b>	Magura MT5 4-piston hydraulic disc, Magura MDR-P 220/203mm, 6-bolt rotors
<b>Tyres</b>	(F) Maxxis Assegai, 29 x 2.6", 3C, EXO+, tubeless ready, (R) Maxxis DHR II, 27.5 x 2.6", 3C, EXO+, tubeless ready	<b>Brake Levers</b>	Magura MT5 Trail HC hydraulic disc
<b>Pedals</b>	Not included	<b>Saddle</b>	Fabric Scoop Shallow Sport, steel rails
		<b>Seatpost</b>	Cannondale DownLow Dropper, internal routing, 31.6, 125mm (S), 150mm (M), 170mm (L-XL)
		<b>Connectivity</b>	Cannondale Wheel Sensor
		<b>Sizes</b>	SM,MD,LG,XL
		<b>Colour</b>	Satin Jet Black w/ Gloss Jet Black & Charcoal Grey (BBQ)
		<b>Extras</b>	Pre-installed light cable

# Topstone Neo SL 2

Colour 1 - Graphite w/ Black Pearl & Charcoal Grey



## Specifications

C62401M

<b>Frame</b>	SmartForm C2 Alloy, 135mm bolt-on, tapered headtube, flat mount disc, multiple gear/bottle mounts	<b>Chain</b>	Shimano Deore, 10-speed
<b>Fork</b>	Full Carbon, 1-1/8" to 1-1/4" steerer, 55mm OutFront offset, flat mount disc, internal routing, 12x100 thru axle	<b>Rear Cogs</b>	Shimano HG500, 11-34, 10-speed
<b>Drive Unit</b>	Mahle ebikemotion X35+ 250W	<b>Front Derailleur</b>	Shimano GRX 400, braze-on
<b>Battery</b>	Mahle ebikemotion X35 250Wh	<b>Rear Derailleur</b>	Shimano GRX 400, Shadow RD+
<b>Display</b>	Mahle ebikemotion iWoc ONE integrated controller	<b>Shifters</b>	Shimano GRX 400, 2x10
<b>Charger</b>	Mahle ebikemotion X35	<b>Handlebar</b>	Cannondale 3, butted 6061 alloy, 16 deg flare drop
<b>Rims</b>	Cannondale Disc, double wall, tubeless ready 32h (R) / 28h (F)	<b>Grips</b>	Cannondale Bar Tape, 3.5mm
<b>Hubs</b>	(F) Formula CRX-512, 12x100mm thru-axle / (R) EbikeMotion X35	<b>Stem</b>	Cannondale 2, 6061 Alloy, 31.8, 7°
<b>Spokes</b>	Stainless Steel, 13g	<b>Headset</b>	Integrated, 1.5" lower to 1-1/8" upper, 25mm Alloy top cap
<b>Tyres</b>	WTB Resolute Comp, 700 x 42c, tubeless ready	<b>Brakes</b>	Shimano GRX hydraulic disc, 160mm RT56 rotors
<b>Pedals</b>	Not included	<b>Brake Levers</b>	Shimano GRX hydraulic disc
<b>Crank</b>	Shimano GRX 600, 46/30T	<b>Saddle</b>	Fizik Aliante Delta, S-alloy rails
<b>Bottom Bracket</b>	Shimano BSA Sealed	<b>Seatpost</b>	Promax SP-9032, Alloy, 27.2
		<b>Sizes</b>	SM, MD, LG
		<b>Colour 1</b>	Graphite w/ Black Pearl & Charcoal Grey (GRA)



# Treadwell Neo EQ

Colour 1 - Jet Black



## Specifications

C63250M

<b>Frame</b>	SmartForm C3 Alloy, low standover Ride-Easy geometry, internal downtube battery, hidden cable routing, Urban Armor frame bumpers, flat mount disc, rack/fender mounts, kickstand mount	<b>Chain</b>	KMC E9T, 9-speed
<b>Fork</b>	SmartForm C3 Alloy blades, 1-1/8" steerer, OutFront offset, flat mount disc, mid-blade rack/fender mounts	<b>Rear Cogs</b>	Sunrace, 11-36, 9-speed
<b>Drive Unit</b>	Mahle ebikemotion X35 250W	<b>Rear Derailleur</b>	Shimano Alivio
<b>Battery</b>	Mahle ebikemotion X35 250Wh	<b>Shifters</b>	Shimano Acera, 9-speed
<b>Display</b>	Mahle ebikemotion iWoc ONE integrated controller, iWoc Trio, smartphone app with Intellimount stem	<b>Handlebar</b>	Cannondale Cruise Control riser, 6061 Alloy, 31.8mm, 15° back, 740mm
<b>Charger</b>	Mahle ebikemotion X35	<b>Grips</b>	Cannondale Comfort
<b>Rims</b>	Cannondale Disc, double wall w/eyelet, 32h	<b>Stem</b>	Cannondale 3 with Intellimount with high direct light mount, Alloy, 31.8mm clamp
<b>Hubs</b>	(F) Sealed Alloy Disc, QR / (R) Mahle ebikemotion X35 250W	<b>Headset</b>	FSA, Alloy, 1-1/8" Ahead, semi-integrated
<b>Spokes</b>	Stainless Steel, 14g	<b>Brakes</b>	Tektro HD-R280 hydraulic disc, 160/140mm rotors
<b>Tyres</b>	Maxxis DTR-1, 650b x 47c	<b>Brake Levers</b>	Tektro hydraulic disc
<b>Pedals</b>	Cannondale Comfort	<b>Saddle</b>	Cannondale Treadwell, 170mm, steel rails
<b>Crank</b>	Prowheel, 38T	<b>Seatpost</b>	Promax Suspension Seatpost, 31.6, 40mm
<b>Bottom Bracket</b>	Cartridge, sealed	<b>Connectivity</b>	Cannondale Wheel Sensor
		<b>Sizes</b>	SM, MD, LG
		<b>Colour</b>	Jet Black (BLK)
		<b>Extras</b>	Herrmans H-Black MR8 front light / Herrmans H-trace rear light, fenders, front rack (10kg max capacity), kickstand

# Quick Neo SL 2

Colour - Sage Grey



## Specifications

C63400M

<b>Frame</b>	SmartForm C3 alloy, internal battery, SAVE, tapered head tube, Straightshot hidden cable routing, flat mount disc, rack/fender mounts, 360° reflectivity	<b>Bottom Bracket</b>	Cartridge, square taper
<b>Fork</b>	Full carbon, 12x100mm thru-axle, 1-1/4" to 1-1/8" tapered steerer, flat mount disc, fender mounts, 360° reflectivity	<b>Chain</b>	KMC E9T, 9-speed
<b>Drive Unit</b>	Mahle ebikemotion X35 250W	<b>Rear Cogs</b>	Shimano HG201, 11-36, 9-speed
<b>Battery</b>	Mahle ebikemotion X35 250Wh	<b>Rear Derailleur</b>	Shimano Altus
<b>Display</b>	Mahle ebikemotion iWoc ONE integrated controller, iWoc Trio, smartphone app with Intellimount stem	<b>Shifters</b>	Shimano Altus, 9-speed
<b>Charger</b>	Mahle ebikemotion X35	<b>Handlebar</b>	Cannondale Riser, 6061 Alloy, 18mm rise, 8° back, 4° up, 680mm
<b>Rims</b>	Shining, 32 hole	<b>Grips</b>	Cannondale Ergo Fitness Dual Density, Lock-on
<b>Hubs</b>	(F) Formula CRX-512, 12x100mm thru-axle (R) Mahle ebikemotion X35 250W	<b>Stem</b>	Cannondale 3 with Intellimount with high direct light mount, Alloy, 31.8mm clamp
<b>Spokes</b>	Stainless Steel, 13g	<b>Headset</b>	FSA Sealed Bearing, Integrated, 1-1/4"-1-1/8"
<b>Tyres</b>	Schwalbe Energizer Plus, 700 x 38c, Green Guard, Addix-E compound	<b>Brakes</b>	Shimano UR300 hydraulic disc, 160/160mm RT56 rotors
<b>Pedals</b>	Cannondale Comfort	<b>Brake Levers</b>	Shimano MT201 hydraulic disc
<b>Crank</b>	Prowheel, 38T	<b>Saddle</b>	Cannondale Fitness Ergo Double Density
		<b>Seatpost</b>	6061 Alloy, 31.6 x 350mm
		<b>Connectivity</b>	Cannondale Wheel Sensor
		<b>Sizes</b>	SM, MD, LG
		<b>Colour</b>	Sage Grey (SGG)
		<b>Extras</b>	Herrmans H-trace rear light

# Tesoro Neo SL EQ

Colour - Black Pearl



## Specifications

C66101U

<b>Frame</b>	SmartForm C3 Alloy, Internal battery, SAVE, tapered head tube, Straightshot hidden cable routing, flat mount disc, rack/fender mounts, 360° reflectivity	<b>Bottom Bracket</b>	Cartridge, square taper
<b>Fork</b>	Full carbon, 12×100mm thru-axle, 1-1/4" to 1-1/8" tapered steerer, flat mount disc, fender mounts, 360° reflectivity	<b>Chain</b>	KMC E10T, 10-speed
<b>Drive Unit</b>	Mahle ebikemotion X35 250W	<b>Rear Cogs</b>	microSHIFT, 11-48, 10-speed
<b>Battery</b>	Mahle ebikemotion X35 250Wh	<b>Rear Derailleur</b>	microSHIFT Advent X
<b>Display</b>	Mahle ebikemotion iWoc ONE integrated controller, iWoc Trio, smartphone app with Intellimount stem	<b>Shifters</b>	microSHIFT Advent X, 10-Speed
<b>Charger</b>	Mahle ebikemotion X35	<b>Handlebar</b>	Cannondale Riser, 6061 Alloy, 18mm rise, 8° back, 4° up, 680mm
<b>Rims</b>	Shining, 32 hole	<b>Grips</b>	Cannondale Fitness Ergo Double Density
<b>Hubs</b>	(F) Alloy, 15×100mm thru-axle (R) EbikeMotion x35	<b>Stem</b>	Cannondale 3 with Intellimount with high direct light mount, Alloy, 31.8mm clamp
<b>Spokes</b>	Stainless Steel (F) 14g / (R) 13g	<b>Headset</b>	FSA, Alloy, 1-1/8" Ahead, semi-integrated
<b>Tyres</b>	Vittoria Terreno Zero, 700 × 35c	<b>Brakes</b>	Tektro M275 hydraulic disc, 160/160mm rotors
<b>Pedals</b>	Cannondale Comfort	<b>Brake Levers</b>	Tektro hydraulic disc
<b>Crank</b>	Prowheel, 38T	<b>Saddle</b>	Cannondale Fitness Ergo Double Density
		<b>Seatpost</b>	6061 Alloy, 31.6 × 350mm
		<b>Connectivity</b>	Cannondale Wheel Sensor
		<b>Sizes</b>	SM, MD, LG
		<b>Colour</b>	Black Pearl (BPL)



# Adventure Neo 3 EQ

Colour 1 - Rally Red

Colour 2 - Jet Black



## Specifications

C68301U

<b>Frame</b>	SmartForm C3 Alloy step-thru frame, removable downtube battery, fully internal cable routing, post mount disc, dual water bottle headtube mount	<b>Rear Derailleur</b>	microSHIFT Marvo, 9-speed
<b>Fork</b>	SR Suntour Mobie A32, 63mm travel, coil with preload adjuster, lockout, crown light mount, 44mm offset	<b>Shifters</b>	microSHIFT Marvo XPress M859, trigger style, 9-speed
<b>Drive Unit</b>	Bosch Active Line	<b>Handlebar</b>	Cannondale E-Series Alloy, ergo backsweep, 680mm
<b>Battery</b>	Bosch PowerTube 400Wh	<b>Grips</b>	Cannondale Comfort
<b>Display</b>	Bosch Purion	<b>Stem</b>	Cannondale 3 with Intellimount, Alloy, 31.8mm clamp
<b>Charger</b>	Bosch 2A	<b>Headset</b>	Semi-Integrated, 1-1/8"
<b>Rims</b>	Cannondale 2, double wall	<b>Brakes</b>	Tektro M275 hydraulic disc, 180/160mm rotors
<b>Hubs</b>	(F) Formula DC-51, 15x100mm thru-axle / (R) Formula DC-1422, QR	<b>Brake Levers</b>	Tektro hydraulic disc
<b>Spokes</b>	Stainless Steel, 14g	<b>Saddle</b>	Cannondale Ergo Comfort
<b>Tyres</b>	Kenda Kwick Seven.5, 27.5 x 2.20"	<b>Seatpost</b>	TranzX, suspension dropper post, 31.6, 50mm travel
<b>Pedals</b>	Cannondale Comfort	<b>Connectivity</b>	Cannondale Wheel Sensor
<b>Crank</b>	FSA Bosch E-Bike, 38T	<b>Sizes</b>	SM, LG
<b>Chain</b>	KMC Z9, 9-speed	<b>Colour 1</b>	Rally Red (RRD)
<b>Rear Cogs</b>	microSHIFT, 11-36, 9-speed	<b>Colour 2</b>	Black (BLK)
		<b>Extras</b>	Lights - Herrmans MR4, H-Trace rear, fenders, rear carrier (20kg/44lbs)

# Adventure Neo 4

Colour - Electric Blue



## Specifications

C68401U

<b>Frame</b>	SmartForm C3 Alloy step-thru frame, removable downtube battery, fully internal cable routing, post mount disc, dual water bottle headtube mount	<b>Rear Cogs</b>	microSHIFT, 11-36, 9-speed
<b>Fork</b>	SmartForm C3 Alloy blades, 1-1/8" steerer, post mount disc, mid-blade rack/fender mounts, crown accessory mount, 45mm offset	<b>Rear Derailleur</b>	microSHIFT Marvo, 9-speed
<b>Drive Unit</b>	Bosch Active Line	<b>Shifters</b>	microSHIFT Marvo XPress M859, trigger style, 9-speed
<b>Battery</b>	Bosch PowerTube 400Wh	<b>Handlebar</b>	Cannondale E-Series Alloy, ergo backsweep, 680mm
<b>Display</b>	Bosch Purion	<b>Grips</b>	Cannondale Comfort
<b>Charger</b>	Bosch 2A	<b>Stem</b>	Cannondale 3 with Intellimount, Alloy, 31.8mm clamp
<b>Rims</b>	Cannondale 2, double wall	<b>Headset</b>	Semi-Integrated, 1-1/8"
<b>Hubs</b>	(F) Formula DC-1420, QR / (R) Formula DC-1422, QR	<b>Brakes</b>	Tektro M275 hydraulic disc, 180/160mm rotors
<b>Spokes</b>	Stainless Steel, 14g	<b>Brake Levers</b>	Tektro hydraulic disc
<b>Tyres</b>	Kenda Kwick Seven.5, 27.5 x 2.20"	<b>Saddle</b>	Cannondale Ergo Comfort
<b>Pedals</b>	Cannondale Comfort	<b>Seatpost</b>	Cannondale 4, 6061 Alloy, 31.6 x 350mm
<b>Crank</b>	FSA Bosch E-Bike, 38T	<b>Connectivity</b>	Cannondale Wheel Sensor
<b>Chain</b>	KMC Z9, 9-speed	<b>Sizes</b>	SM, LG
		<b>Colour</b>	Electric Blue (ELB)
		<b>Extras</b>	Kickstand



# Kids

TRAIL

QUICK

CUJO

BALANCE

cannondale

# Trail 26

Colour 1 - Purple Haze

Colour 2 - Rally Red



## Specifications

C51101U

<b>Frame</b>	SmartForm C3 Alloy, StraightShot hidden cable routing, disc brakes, rack/fender mounts	<b>Shifters</b>	microSHIFT, 8-speed trigger shifter
<b>Fork</b>	Suntour NEX, 63mm, coil with preload adjuster	<b>Handlebar</b>	6061 Alloy, 25mm rise, 10° sweep, 30mm rise, 580mm
<b>Rims</b>	Cannondale Disc, double wall w/eyelet, 32h	<b>Grips</b>	Cannondale Performance
<b>Hubs</b>	(F) Sealed Alloy Disc, 12x100mm/ (R) Sealed Alloy Disc	<b>Stem</b>	Alloy Ahead, 31.8mm
<b>Spokes</b>	Stainless steel, 14g	<b>Headset</b>	Semi-Integrated, 1-1/8"
<b>Tyres</b>	Kenda Small Block 8, 26 x 1.95"	<b>Brakes</b>	Tektro Mechanical Disc, 160/160mm rotors
<b>Pedals</b>	Wellgo Composite Platform	<b>Brake Levers</b>	Promax BL81
<b>Crank</b>	Prowheel, Pro-V30, 152 mm length, 30T	<b>Saddle</b>	Cannondale Ergo
<b>Bottom Bracket</b>	Cartridge, square taper	<b>Seatpost</b>	Alloy, 25.4mm
<b>Chain</b>	KMC X8, 8-speed	<b>Sizes</b>	One Size
<b>Rear Cogs</b>	Sunrace, wide range 11-34, 8-speed	<b>Colour 1</b>	Purple Haze (PRH)
<b>Rear Derailleur</b>	microSHIFT M26L	<b>Colour 2</b>	Rally Red (RRD)
		<b>Extras</b>	Kickstand



# Kids Trail 24

Colour - Midnight



## Specifications

C51150M

<b>Frame</b>	SmartForm C3 Alloy, smooth welding	<b>Shifters</b>	Shimano Tourney Revo Twist Shifter, 8-speed
<b>Fork</b>	SunTour XCT-JR 24, 63mm travel, 1-1/8" steerer, coil, w/ disc mounts	<b>Handlebar</b>	Lightweight Alloy, 25.4mm, 580mm
<b>Rims</b>	Cannondale, lightweight alloy, 24", 28h	<b>Grips</b>	Cannondale Kid's Performance
<b>Hubs</b>	(F) Sealed Alloy Disc, QR / (R) Sealed Alloy Disc, QR	<b>Stem</b>	Alloy Ahead, 30mm
<b>Spokes</b>	Steel, 14g Black	<b>Headset</b>	FSA, Alloy, 1-1/8" Ahead, semi-integrated
<b>Tyres</b>	Kenda Small Block 8, 24 x 1.95"	<b>Brakes</b>	Cable-actuated disc
<b>Pedals</b>	Wellgo Composite Platform w/ reflectors	<b>Brake Levers</b>	Alloy 3 finger
<b>Crank</b>	Prowheel, Pro-V30, 130mm length, 30T	<b>Saddle</b>	Cannondale Ergo
<b>Bottom Bracket</b>	Cartridge, square taper	<b>Seatpost</b>	Lightweight alloy, 25.4mm
<b>Chain</b>	KMC Z8.1, 8-speed	<b>Sizes</b>	One Size
<b>Rear Cogs</b>	Sunrace, 12-32, 8-speed	<b>Colour</b>	Midnight (MDN)
<b>Rear Derailleur</b>	Shimano Tourney	<b>Extras</b>	Kickstand

# Kids Trail 24

Colour - Nuclear Yellow



## Specifications

C51150F

<b>Frame</b>	SmartForm C3 Alloy, smooth welding	<b>Shifters</b>	Shimano Tourney Revo Twist Shifter, 8-speed
<b>Fork</b>	SunTour XCT-JR 24, 63mm travel, 1-1/8" steerer, coil, w/ disc mounts	<b>Handlebar</b>	Lightweight Alloy, 25.4mm, 580mm
<b>Rims</b>	Cannondale, lightweight alloy, 24", 28h	<b>Grips</b>	Cannondale Kid's Performance
<b>Hubs</b>	(F) Sealed Alloy Disc, QR / (R) Sealed Alloy Disc, QR	<b>Stem</b>	Alloy Ahead, 30mm
<b>Spokes</b>	Steel, 14g Black	<b>Headset</b>	FSA, Alloy, 1-1/8" Ahead, semi-integrated
<b>Tyres</b>	Kenda Small Block 8, 24 x 1.95"	<b>Brakes</b>	Cable-actuated disc
<b>Pedals</b>	Wellgo Composite Platform w/ reflectors	<b>Brake Levers</b>	Alloy 3 finger
<b>Crank</b>	Prowheel, Pro-V30, 130mm length, 30T	<b>Saddle</b>	Cannondale Ergo
<b>Bottom Bracket</b>	Cartridge, square taper	<b>Seatpost</b>	Lightweight alloy, 25.4mm
<b>Chain</b>	KMC Z8.1, 8-speed	<b>Sizes</b>	One Size
<b>Rear Cogs</b>	Sunrace, 12-32, 8-speed	<b>Colour</b>	Nuclear Yellow (NYW)
<b>Rear Derailleur</b>	Shimano Tourney	<b>Extras</b>	Kickstand

# Kids Quick 24

Colour - Acid Red



## Specifications

C51100M

<b>Frame</b>	SmartForm C3 Alloy, smooth welding
<b>Fork</b>	Rigid, SmartForm C3 Alloy, 1-1/8" steerer
<b>Rims</b>	Cannondale, lightweight alloy, 24", 28h
<b>Hubs</b>	(F) KT Alloy, nutted axle / (R) KT Alloy, 7-speed freehub
<b>Spokes</b>	Steel, 14g Black
<b>Tyres</b>	Kenda, Small Block 8, 24 x 1.5"
<b>Pedals</b>	Wellgo Composite Platform w/ reflectors
<b>Crank</b>	Prowheel, Pro-V30, 145mm length, 30T
<b>Bottom Bracket</b>	Cartridge, square taper
<b>Chain</b>	KMC Z7, 7-speed
<b>Rear Cogs</b>	Sunrace, 11-28, 7-speed
<b>Rear Derailleur</b>	Shimano Tourney

<b>Shifters</b>	Shimano Tourney Revo Twist Shifter, 7-speed
<b>Handlebar</b>	Lightweight Alloy, 25.4mm, 580mm
<b>Grips</b>	Cannondale Kid's Performance
<b>Stem</b>	Alloy Ahead, 30mm
<b>Headset</b>	FSA, Alloy, 1-1/8" Ahead, semi-integrated
<b>Brakes</b>	Promax V-Brake, alloy linear pull
<b>Brake Levers</b>	Promax
<b>Saddle</b>	Cannondale Ergo
<b>Seatpost</b>	Lightweight alloy, 25.4mm
<b>Sizes</b>	One Size
<b>Colour</b>	Acid Red (ARD)
<b>Extras</b>	Kickstand

# Kids Quick 24

Colour - Sherpa



## Specifications

C51100F

<b>Frame</b>	SmartForm C3 Alloy, smooth welding
<b>Fork</b>	Rigid, SmartForm C3 Alloy, 1-1/8" steerer
<b>Rims</b>	Cannondale, lightweight alloy, 24", 28h
<b>Hubs</b>	(F) KT Alloy, nutted axle / (R) KT Alloy, 7-speed freehub
<b>Spokes</b>	Steel, 14g Black
<b>Tyres</b>	Kenda, Small Block 8, 24 x 1.5"
<b>Pedals</b>	Wellgo Composite Platform w/ reflectors
<b>Crank</b>	Prowheel, Pro-V30, 145mm length, 30T
<b>Bottom Bracket</b>	Cartridge, square taper
<b>Chain</b>	KMC Z7, 7-speed
<b>Rear Cogs</b>	Sunrace, 11-28, 7-speed
<b>Rear Derailleur</b>	Shimano Tourney

<b>Shifters</b>	Shimano Tourney Revo Twist Shifter, 7-speed
<b>Handlebar</b>	Lightweight Alloy, 25.4mm, 580mm
<b>Grips</b>	Cannondale Kid's Performance
<b>Stem</b>	Alloy Ahead, 30mm
<b>Headset</b>	FSA, Alloy, 1-1/8" Ahead, semi-integrated
<b>Brakes</b>	Promax V-Brake, alloy linear pull
<b>Brake Levers</b>	Promax
<b>Saddle</b>	Cannondale Ergo
<b>Seatpost</b>	Lightweight alloy, 25.4mm
<b>Sizes</b>	One Size
<b>Colour</b>	Sherpa (SRP)
<b>Extras</b>	Kickstand

# Kids Cujo 20+

Colour 1 - Alpine



C56400U

<b>Frame</b>	SmartForm C3 Alloy, smooth welding	<b>Rear Derailleur</b>	Shimano Tourney
<b>Fork</b>	SmartForm C3 Alloy, 1-1/8" steerer, IS disc mount	<b>Shifters</b>	Shimano Tourney Revo Twist Shifter, 7-speed
<b>Rims</b>	Cannondale Disc, lightweight alloy, double wall, 20", 29mm inner width, 28h	<b>Handlebar</b>	Lightweight Alloy, 580mm wide, 25.4mm
<b>Hubs</b>	(F) Sealed Alloy Disc, QR / (R) Formula QR	<b>Grips</b>	Cannondale Kid's Performance
<b>Spokes</b>	Stainless Steel 14g	<b>Stem</b>	Alloy Ahead, 30mm
<b>Tyres</b>	Kenda Slant 6, 20 x 2.6"	<b>Headset</b>	FSA, Alloy, 1-1/8" Ahead, semi-integrated
<b>Pedals</b>	Wellgo Composite Platform w/ reflectors	<b>Brakes</b>	Tektro mechanical disc w/ 160mm rotors
<b>Crank</b>	Prowheel, Pro-V30, 110mm length, 30T	<b>Brake Levers</b>	Tektro
<b>Bottom Bracket</b>	Cartridge square taper	<b>Saddle</b>	Cannondale Ergo
<b>Chain</b>	KMC Z7, 7-speed	<b>Seatpost</b>	Lightweight alloy, 25.4mm
<b>Rear Cogs</b>	Sunrace, 11-34, 7-speed	<b>Sizes</b>	One Size
		<b>Colour</b>	Alpine (ALP)



# Kids Trail 20

Colour - Emerald



## Specifications

C51250M

<b>Frame</b>	SmartForm C3 Alloy, smooth welding
<b>Fork</b>	SunTour XCT-JR 20, 40mm travel, 1-1/8" steerer, coil, w/ canti mounts
<b>Rims</b>	Cannondale, lightweight alloy, 20", 28h
<b>Hubs</b>	(F) KT Alloy, nuttled axle / (R) KT Alloy, nuttled axle, 7-speed freewheel
<b>Spokes</b>	Steel, 14g Black
<b>Tyres</b>	Innova 20 x 1.95", multi-use tread
<b>Pedals</b>	Wellgo Composite Platform w/ reflectors
<b>Crank</b>	Prowheel, Pro-V30, 110mm length, 30T
<b>Bottom Bracket</b>	Cartridge, square taper
<b>Chain</b>	KMC Z7, 7-speed
<b>Rear Cogs</b>	Shimano, 14-28, 7-speed FW
<b>Rear Derailleur</b>	Shimano Tourney

<b>Shifters</b>	Shimano Tourney Revo Twist Shifter, 7-speed
<b>Handlebar</b>	Lightweight Alloy, 25.4mm, 580mm
<b>Grips</b>	Cannondale Kid's Performance
<b>Stem</b>	Alloy Ahead, 30mm
<b>Headset</b>	FSA, Alloy, 1-1/8" Ahead, semi-integrated
<b>Brakes</b>	Promax V-Brake, alloy linear pull
<b>Brake Levers</b>	Promax Alloy, linear pull
<b>Saddle</b>	Cannondale Ergo
<b>Seatpost</b>	Lightweight alloy, 25.4mm
<b>Sizes</b>	One Size
<b>Colour</b>	Emerald (EMR)
<b>Extras</b>	Kickstand

# Kids Trail 20

Colour - Crush



## Specifications

C51250F

<b>Frame</b>	SmartForm C3 Alloy, smooth welding
<b>Fork</b>	SunTour XCT-JR 20, 40mm travel, 1-1/8" steerer, coil, w/ canti mounts
<b>Rims</b>	Cannondale, lightweight alloy, 20", 28h
<b>Hubs</b>	(F) KT Alloy, nuttled axle / (R) KT Alloy, nuttled axle, 7-speed freewheel
<b>Spokes</b>	Steel, 14g Black
<b>Tyres</b>	Innova 20 x 1.95", multi-use tread
<b>Pedals</b>	Wellgo Composite Platform w/ reflectors
<b>Crank</b>	Prowheel, Pro-V30, 110mm length, 30T
<b>Bottom Bracket</b>	Cartridge, square taper
<b>Chain</b>	KMC Z7, 7-speed
<b>Rear Cogs</b>	Shimano, 14-28, 7-speed FW
<b>Rear Derailleur</b>	Shimano Tourney

<b>Shifters</b>	Shimano Tourney Revo Twist Shifter, 7-speed
<b>Handlebar</b>	Lightweight Alloy, 25.4mm, 580mm
<b>Grips</b>	Cannondale Kid's Performance
<b>Stem</b>	Alloy Ahead, 30mm
<b>Headset</b>	FSA, Alloy, 1-1/8" Ahead, semi-integrated
<b>Brakes</b>	Promax V-Brake, alloy linear pull
<b>Brake Levers</b>	Promax Alloy, linear pull
<b>Saddle</b>	Cannondale Ergo
<b>Seatpost</b>	Lightweight alloy, 25.4mm
<b>Sizes</b>	One Size
<b>Colour</b>	Crush (CRU)
<b>Extras</b>	Kickstand

# Kids Quick 20

Colour - Electric Blue



## Specifications

C51200M

<b>Frame</b>	SmartForm C3 Alloy, smooth welding
<b>Fork</b>	Rigid, SmartForm C3 Alloy, 1" steerer
<b>Rims</b>	Cannondale, lightweight alloy, 20", 28h
<b>Hubs</b>	(F) KT Alloy, nudded axle / (R) KT Alloy, 7-speed freehub
<b>Spokes</b>	Steel, 14g Black
<b>Tyres</b>	Kenda Small Block 8, 20 x 1.5"
<b>Pedals</b>	Wellgo Composite Platform w/ reflectors
<b>Crank</b>	Prowheel, Pro-V30, 110mm length, 30T
<b>Bottom Bracket</b>	Cartridge, square taper
<b>Chain</b>	KMC Z7, 7-speed
<b>Rear Cogs</b>	Sunrace, 11-28, 7-speed
<b>Rear Derailleur</b>	Shimano Tourney

<b>Shifters</b>	Shimano Tourney Revo Twist Shifter, 7-speed
<b>Handlebar</b>	Lightweight Alloy, 25.4mm, 580mm
<b>Grips</b>	Cannondale Kid's Performance
<b>Stem</b>	Alloy Ahead, 30mm
<b>Headset</b>	VP, Alloy, 1" Ahead, semi-integrated
<b>Brakes</b>	Promax V-Brake, alloy linear pull
<b>Brake Levers</b>	Promax
<b>Saddle</b>	Cannondale Ergo
<b>Seatpost</b>	Lightweight alloy, 25.4mm
<b>Sizes</b>	One Size
<b>Colour</b>	Electric Blue (ELB)
<b>Extras</b>	Kickstand

# Kids Quick 20

Colour - Ultra Violet



## Specifications

C51200F

<b>Frame</b>	SmartForm C3 Alloy, smooth welding
<b>Fork</b>	Rigid, SmartForm C3 Alloy, 1" steerer
<b>Rims</b>	Cannondale, lightweight alloy, 20", 28h
<b>Hubs</b>	(F) KT Alloy, nudded axle / (R) KT Alloy, 7-speed freehub
<b>Spokes</b>	Steel, 14g Black
<b>Tyres</b>	Kenda Small Block 8, 20 x 1.5"
<b>Pedals</b>	Wellgo Composite Platform w/ reflectors
<b>Crank</b>	Prowheel, Pro-V30, 110mm length, 30T
<b>Bottom Bracket</b>	Cartridge, square taper
<b>Chain</b>	KMC Z7, 7-speed
<b>Rear Cogs</b>	Sunrace, 11-28, 7-speed
<b>Rear Derailleur</b>	Shimano Tourney

<b>Shifters</b>	Shimano Tourney Revo Twist Shifter, 7-speed
<b>Handlebar</b>	Lightweight Alloy, 25.4mm, 580mm
<b>Grips</b>	Cannondale Kid's Performance
<b>Stem</b>	Alloy Ahead, 30mm
<b>Headset</b>	VP, Alloy, 1" Ahead, semi-integrated
<b>Brakes</b>	Promax V-Brake, alloy linear pull
<b>Brake Levers</b>	Promax
<b>Saddle</b>	Cannondale Ergo
<b>Seatpost</b>	Lightweight alloy, 25.4mm
<b>Sizes</b>	One Size
<b>Colour</b>	Ultra Violet (ULV)
<b>Extras</b>	Kickstand

# Kids Trail 16

Colour - Acid Red



## Specifications

C51360M

<b>Frame</b>	SmartForm C3 Alloy, smooth welding
<b>Fork</b>	Rigid, steel, 1" steerer
<b>Rims</b>	Cannondale 4, lightweight alloy, 16", 28h
<b>Hubs</b>	(F) Alloy, nutted axle / (R) Alloy, nutted axles, coaster brake
<b>Spokes</b>	Steel, 14g Black
<b>Tyres</b>	Innova, 16 x 1.95", multi-use tread
<b>Pedals</b>	Wellgo Composite Platform w/ reflectors, 1/2"
<b>Crank</b>	One-piece, 110mm length, 28T
<b>Bottom Bracket</b>	Included
<b>Chain</b>	KMC S1, 1/2x1/8"

<b>Rear Cogs</b>	16T
<b>Handlebar</b>	Lightweight Alloy, 22.2mm, 500mm
<b>Grips</b>	Cannondale Kid's Comfort
<b>Stem</b>	Alloy Ahead, 37mm
<b>Headset</b>	1" Ahead
<b>Brakes</b>	Rear coaster brake
<b>Saddle</b>	Cannondale Kid's Comfort
<b>Seatpost</b>	One-piece, clamp-less, 25.4mm
<b>Sizes</b>	One Size
<b>Colour</b>	Acid Red (ARD)
<b>Extras</b>	Tool-less training wheels, Chainguard

# Kids Trail 16

Colour - Turquoise



## Specifications

C51360F

<b>Frame</b>	SmartForm C3 Alloy, smooth welding
<b>Fork</b>	Rigid, steel, 1" steerer
<b>Rims</b>	Cannondale 4, lightweight alloy, 16", 28h
<b>Hubs</b>	(F) Alloy, nutted axle / (R) Alloy, nutted axles, coaster brake
<b>Spokes</b>	Steel, 14g Black
<b>Tyres</b>	Innova, 16 x 1.95", multi-use tread
<b>Pedals</b>	Wellgo Composite Platform w/ reflectors, 1/2"
<b>Crank</b>	One-piece, 110mm length, 28T
<b>Bottom Bracket</b>	Included
<b>Chain</b>	KMC S1, 1/2x1/8"

<b>Rear Cogs</b>	16T
<b>Handlebar</b>	Lightweight Alloy, 22.2mm, 500mm
<b>Grips</b>	Cannondale Kid's Comfort
<b>Stem</b>	Alloy Ahead, 37mm
<b>Headset</b>	1" Ahead
<b>Brakes</b>	Rear coaster brake
<b>Saddle</b>	Cannondale Kid's Comfort
<b>Seatpost</b>	One-piece, clamp-less, 25.4mm
<b>Sizes</b>	One Size
<b>Colour</b>	Turquoise (TRQ)
<b>Extras</b>	Tool-less training wheels, Chainguard



# Kids Trail Balance

Colour - Acid Red



## Specifications

C51450M

<b>Frame</b>	SmartForm C3 Alloy, smooth welding
<b>Fork</b>	Cannondale Little Lefty 12, rigid, SmartForm C2 Alloy, 11-8" steerer
<b>Rims</b>	Cannondale, lightweight alloy, 12", 16h
<b>Hubs</b>	(F) Little Lefty single-sided / (R) Alloy, nutted axle
<b>Spokes</b>	Steel, 14g Black
<b>Tyres</b>	Innova, 12 x 1.75", multi-use tread
<b>Handlebar</b>	Lightweight Alloy, 22.2mm, 460mm

<b>Grips</b>	Cannondale Kid's Comfort
<b>Stem</b>	Alloy Ahead, 37mm
<b>Headset</b>	FSA, Alloy, 1-1/8" Ahead, semi-integrated
<b>Saddle</b>	Cannondale Kid's Comfort
<b>Seatpost</b>	One-piece, clamp-less, 25.4mm
<b>Sizes</b>	One Size
<b>Colour</b>	Acid Red (ARD)

# Kids Trail Balance

Colour - Turquoise



## Specifications

C51450F

<b>Frame</b>	SmartForm C3 Alloy, smooth welding
<b>Fork</b>	Cannondale Little Lefty 12, rigid, SmartForm C2 Alloy, 11-8" steerer
<b>Rims</b>	Cannondale, lightweight alloy, 12", 16h
<b>Hubs</b>	(F) Little Lefty single-sided / (R) Alloy, nutted axle
<b>Spokes</b>	Steel, 14g Black
<b>Tyres</b>	Innova, 12 x 1.75", multi-use tread
<b>Handlebar</b>	Lightweight Alloy, 22.2mm, 460mm

<b>Grips</b>	Cannondale Kid's Comfort
<b>Stem</b>	Alloy Ahead, 37mm
<b>Headset</b>	FSA, Alloy, 1-1/8" Ahead, semi-integrated
<b>Saddle</b>	Cannondale Kid's Comfort
<b>Seatpost</b>	One-piece, clamp-less, 25.4mm
<b>Sizes</b>	One Size
<b>Colour</b>	Turquoise (TRQ)



# Collection FY23

FIELD MARKET GUIDE



All prices and specifications subject to change without notice.  
© 2022. PSI Cycling Pty Ltd.

**cannondale**